SATPREP Assignment: Derivative

Work the following on notebook paper except for problems 11 - 12. Do <u>not</u> use your calculator. On problems 1 - 4, find the critical points of each function, and determine whether they are relative maximums or relative minimums by using the Second Derivative Test whenever possible.

1.
$$f(x) = x^3 - 3x^2 + 3$$

3. $f(x) = \sin x - \cos x, \ 0 \le x \le 2\pi$
4. $f(x) = 2\sin x + \cos(2x), \ 0 \le x \le 2\pi$

5. Suppose that the function f has a continuous second derivative for all x and that f(-1)=2, f'(-1)=-3, f''(-1)=5. Let g be a function whose derivative is given by $g'(x) = (x^4 - 6x^3)(3f(x) + 2f'(x))$ for all x.

- (a) Write an equation of the line tangent to the graph of f at the point where x = -1.
- (b) Does g have a local maximum or a local minimum at x = -1? Justify your answer.
- 6. Consider the curve given by $x^2 + 4y^2 = 7 + 3xy$.
- (a) Show that $\frac{dy}{dx} = \frac{3y 2x}{8y 3x}$.
- (b) Show that there is a point *P* with *x*-coordinate 3 at which the line tangent to the curve at *P* is horizontal. Find the *y*-coordinate of *P*.
- (c) Find the value of $\frac{d^2 y}{dx^2}$ at the point *P* found in part (b). Does the curve have a local maximum, a local minimum, or neither at point *P*? Justify your answer.

On problems 7 – 8, the graph of the derivative, f', of a function f is shown.

- (a) On what interval(s) is f increasing or decreasing? Justify your answer.
- (b) At what value(s) of x does f have a local maximum or local minimum? Justify your answer.



9. The graph of the second derivative, f'', of a function f is shown. State the x-coordinates of the inflection points of f. Justify your answer.



10. The function h is defined by h(x) = f(g(x)), where f and g are the functions whose graphs are shown below.



- (a) Evaluate h(2).
- (b) Estimate h'(1).
- (c) Is the graph of the composite function h increasing or decreasing at x = 3? Show your reasoning.
- (d) Find all values of x for which the graph of h has a horizontal tangent. Show your reasoning.
- 11. For what values of a and b does the function $f(x) = x^3 + ax^2 + bx + 2$ have a local maximum when x = -3 and a local minimum when x = -1?
- 12. Sketch the function f(x) from the following information:
- (a) The domain of f is $(-\infty, 0) \cup (0, \infty)$.
- (b) f(-x) = -f(x)
- (c) $\lim_{x \to 0^+} f(x) = \infty$
- (d) $\lim_{x \to \infty} f(x) = 0$
- (e) For x > 0, f(x) = 0 only at x = 1
- (f) For x > 0, f'(x) = 0 only at x = 2.
- (g) For x > 0, f''(x) = 0 only at x = 3.

Answers to Worksheet on Second Derivative Test

1. Rel. max. at (0, 3), rel. min. at (2, -1) 2. Rel. max. at (-2, -4), rel. min. at (2, 4)3. Rel. max. at $\left(\frac{3\pi}{4}, \sqrt{2}\right)$, rel. min. at $\left(\frac{7\pi}{4}, -\sqrt{2}\right)$ 4. Rel. min. at $\left(\frac{\pi}{2}, 1\right)$ and $\left(\frac{3\pi}{2}, -3\right)$, rel. max. at $\left(\frac{\pi}{6}, \frac{3}{2}\right)$ and $\left(\frac{5\pi}{6}, \frac{3}{2}\right)$ 5. (a) y-2=-3(x+1)(b) Local minimum at x = -1 because g'(-1) = 0 and g''(-1) = 7 > 0. 6. (a) $2x + 8y \frac{dy}{dx} = 3y + 3x \frac{dy}{dx}$ (b) y = 2 $(8y-3x)\frac{dy}{dx} = 3y-2x$ (c) Local max. since $\frac{dy}{dx} = 0$ and $\frac{d^2y}{dx^2} = -\frac{2}{7}$ 7. (a) incr. on $(-\infty, 0) \cup (3, \infty)$; decr. on (0, 3)(b) Rel. max. at x = 0, rel. min. at x = 38. (a) decr. on $(-\infty, -1) \cup (3, 5)$; incr. on $(-1, 3) \cup (5, \infty)$ (b) Rel. min. at x = -1, x = 5; rel. max. at x = 39. x = 1 and x = 7(b) $\frac{1}{4}$ 10. (a) 3.4 (d) 2, 0.25, 4 (c) decr. 11. a = 6, b = 912.