

**Extended Mathematics**  
**Topic : Number**  
**Year : May 2013 -May 2023**  
**Paper - 4**  
**Answers**

Question 1

(a)	2814 final answer	2	<b>M1</b> for $2345 \div 5$ soi by 469 or ans = 2810
(b)	257.95 final answer	2	<b>M1</b> for $2345 \times 0.11$ oe or ans = 258
(c) (i)	280.5[0] final answer	2	<b>M1</b> for $330 \times (1 - 0.15)$ oe or ans = 281
(ii)	375	3	<b>M2</b> for $330 \div (1 - 0.12)$ oe Or <b>M1</b> for $330 = (100 - 12)\%$ oe
(d)	1605.89 or 1605.9[0]	3	<b>M2</b> for $1500 \times (1 + 0.023)^3$ oe soi by 1605.898751 or $1500 \times 1.07(05\dots)$ Or <b>M1</b> for $1500 \times (1 + 0.023)^2$ oe
(e)	23.1 or 23.07 to 23.08	3	<b>M2</b> for $\frac{325 - 250}{325} \times 100$ oe Or <b>M1</b> for $\frac{325 - 250}{325}$ soi by 0.2307... 3sf or better or $\frac{250}{325} \times 100$ soi by 76.9...

Question 2

$a = 1/3$ oe, $b = 1/2$ oe	6	<p><b>B1</b> for any one of</p> $1 = a + b + 1/6$ $5 = 8a + 4b + 2/6$ $14 = 27a + 9b + 3/6$ $30 = 64a + 16b + 4/6$ <p>Or any other correct equation  <b>and B1</b> for another of the above equations  <b>and M1</b> for equating one coefficient  or correct rearrangement to give <math>a</math> or <math>b</math> as subject  <b>and M1</b> for subtracting to eliminate <math>a</math> or <math>b</math>  or correct substitution for <i>their</i> <math>a</math> or <i>their</i> <math>b</math>  <b>A1</b> for <math>a = 1/3</math> oe or <math>b = 1/2</math> oe</p>
----------------------------	---	--

Question 3


(a) (i)	$\frac{6}{5+6+3} \times 560$ [= 240]	2	Accept 'of' used instead of $\times$ M1 for $560 \div (5 + 6 + 3)$
(ii)	120	1	
(b)	90	2	M1 for $\frac{3}{8} \times 240$ oe
(c) (i)	96120 final answer	2	M1 for $their(a)(ii) \times 75 + (560 - their(a)(ii)) \times 198$ oe
(ii)	187.5[0] final answer	3	M2 for $\frac{198}{1+0.056}$ oe or M1 for $(100 + 5.6)[\%] = 198$ oe seen
(d)	184[.2....]	3	M2 for $\frac{36 \times 0.75 - 9.5}{9.5} \times 100$ oe or M1 for $\frac{36 \times 0.75}{9.5} \times 100$ or $36 \times 0.75 - 9.5$ [17.5] used implied by answer 84.2 or SC1 for final answer 284[.2..]
(e)	69.4 and 69[.0]    cao	3	SC2 for one correct or both correct but reversed M1 for two of 10.85, 10.95, 23.65 or 23.75 seen or $2(23.7 + 10.9) + 4(0.05)$ or $2(23.7 + 10.9) - 4(0.05)$

Question 4

(a)	$3^2 + 1^2$	1	Ignore attempt to evaluate $\sqrt{10}$
(b) (i)	$\frac{\sqrt{10}}{3}$ final answer	1	
(b) (ii)	$\frac{10}{3}$ final answer	2	<p><b>M1</b> for <i>their</i> <math>\frac{\sqrt{10}}{3} \times \sqrt{10}</math> or</p> <p><i>their</i> <math>\left(\frac{\sqrt{10}}{3}\right)^2 + (\sqrt{10})^2</math></p> <p>implied by 3.33 seen</p>
(c)	<p><math>\frac{100}{27}</math> or <math>3\frac{19}{27}</math> isw conversion</p> <p>or 3.7[03] to 3.7[04]</p>	2	<p><b>M1</b> for <math>3 \times \left(\frac{\sqrt{10}}{3}\right)^n</math> oe where <math>n</math> is 3 or 4</p> <p>or for <math>[OP_4 =] \sqrt{\frac{1000}{81}}</math></p> <p>or for <i>their</i> (b)(ii) <math>\times \left(\frac{\sqrt{10}}{3}\right)^n</math> where <math>n</math> is 1 or 2</p>
(d) (i)	18.43...	2	<b>M1</b> for $\tan [P_1OP_2] = \frac{1}{3}$ oe
(d) (ii)	18.4[3...]	1	
(d) (iii)	20	3	<p><b>SC2</b> for 19</p> <p>or <b>M1</b> for <math>\frac{360}{18.4[3...]}</math></p>

Question 5

(a) (i)	[0]8 15	1	
(ii)	$\frac{1.8}{27} \times 60 [= 4]$ oe	M2	M1 for $\frac{1.8}{27}$ oe [0.0667 or better]
(b) (i)	275	3	M2 for $\frac{15-4}{4} \times 100$ or $\frac{15}{4} \times 100 - 100$ oe or M1 for $\frac{15-4}{4}$ or $\frac{15}{4} \times 100$ or oe 375
(ii)	73.3[3...]	3	M2 for $\frac{1.8}{15} \times 60 [=7.2 \text{ min}]$ and $\frac{27 - \text{their } 7.2}{27} \times 100$ oe or M1 for $\frac{1.8}{15} \times 60 [=7.2 \text{ min}]$ or final answer of 26.6[6...] or 26.7
(iii)	25	2	M1 for $\frac{9}{\text{figs } 36}$ oe



Question 6

(a)	50, 70	1	
	$10n$ oe	1	
	51, 71	1	
	$10n + 1$ oe	1	
(b) (i)	212	1	
(ii)	$20n + 12$	1	
(iii)	$20n + 152$	1	
(c) (i)	$5 \times 3^2 + 6 \times 3 = 63$	1	
	and $11 + 21 + 31 = 63$		
	or $32 + 31 = 63$ or $11 + 52 = 63$	1	
(ii)	560	1	
(d)	Complete solution with no errors seen and a conclusion	4	<b>B1</b> for $5n^2 + 6n + 10n + 10 + 1$ or better
	e.g.		
	$5n^2 + 6n + 10(n + 1) + 1$		<b>B1</b> for use of $5(n + 1)^2 = 5n^2 + 10n + 5$ oe at any stage
	$= 5n^2 + 6n + 10n + 10 + 1$		
	$= 5n^2 + 10n + 5 + 6n + 6$		<b>B1</b> for use of $6n + 6 = 6(n + 1)$ oe at any stage
	$= 5n^2 + 10n + 5 + 6n + 6$		
	$= 5(n + 1)^2 + 6(n + 1)$		

Question 7

(a) (i) 45

(ii) 20

(iii) 23.4 or 23.38 to 23.41

(b) 128

2 M1 for  $5 \times 63 \div 7$

2 M1 for  $5 \times 56 \div 14$

3 M2 for  $\frac{13 \times 4.9 - 48.8}{13 \times 4.9} \times 100$

or  $\frac{4.9 - 48.8 \div 13}{4.9} \times 100$

Or

M1 for  $\frac{13 \times 4.9 - 48.8}{13 \times 4.9}$  or  $\frac{48.8}{13 \times 4.9} \times 100$  or 76.6[...]

4 Using fractions (percentages / decimals):

M1 for  $\frac{3}{4} \times \frac{3}{8} \left[ = \frac{9}{32} \right]$  or  $\frac{75}{100} \times 37.5$  [= 28.125%]

A1 for  $\frac{9}{32}$  or 28.125[%]

M1 for  $36 \div \frac{9}{32}$  oe

or  $36 \times \frac{100}{28.125}$  oe


Partial percentages

M1 for (Remaining)  $\frac{100 \times 36}{37.5}$  [= 96]

A1 for 96

M1 for  $96 \div \frac{75}{100}$  oe

SC1 for 288



Question 8

(a)	$\begin{array}{ccc} 15 & 18 & 3n+3 \text{ or } 3(n+1) \\ 6 & 10 & \\ 25 & 36 & (n+1)^2 \end{array}$	9	<p><b>B2</b> for 15, 6, 25 or <b>B1</b> for two correct values</p> <p><b>B3</b> for 18, 10, 36 or <b>B1</b> for each correct value</p> <p><b>B2</b> for <math>3n+3</math> oe or <b>M1</b> for <math>3n+k</math>, for any <math>k</math></p> <p><b>B2</b> for <math>(n+1)^2</math> oe or <b>M1</b> for a quadratic expression</p>
(b)	14	2	<p><b>M1</b> for <math>(n+1)(n+2) = 240</math> or better or <math>15 \times 16 = 240</math></p>
(c) (i)	$\frac{1}{2} + p + q = 9$	1	
(ii)	$[p = ] 3$ $[q = ] \frac{11}{2}$	5	<p><b>B2</b> for <math>4p + 2q = 23</math> or <b>B1</b> for <math>\frac{1}{2} \times 2^3 + p \times 2^2 + q \times 2</math> oe</p> <p><b>M1</b> for correct multiplication and subtraction of <i>their</i> equations</p> <p><b>A1</b> for <math>[p = ] 3</math> or <math>[q = ] \frac{11}{2}</math></p> <p>If 0 scored then <b>SC1</b> for either correct</p>

Question 9

(a) (i)	3216 Final answer	2	<b>M1</b> for $(18900 - 5500) \times 0.24$ oe
(ii)	1307 Final answer	2FT	<p><b>FT</b> <math>(18900 - \text{their (a)(i)}) \div 12</math> correctly evaluated</p> <p><b>M1</b> for <math>(18900 - \text{their (a)(i)}) \div 12</math></p>
(b)	4.5[%] nfw	2	<p><b>M1</b> for <math>\frac{19750.50 [-18900]}{18900} \times 100</math> or <math>\frac{19750.50 - 18900}{18900}</math></p>
(c)	A by 31.05... or 31.04 to 31.05 or 31.[0] 31.1[0]	5	<p><b>M1</b> for <math>1500 \times 4.1/100 \times 3</math> [+ 1500] oe</p> <p><b>M1</b> for <math>1500 \times 1.033^3</math> [- 1500] oe</p> <p><b>A1</b> for 1684.5 or 184.5 or 1653[.45..] or 153[.45..]</p> <p><b>and M1dep</b> for subtraction of <i>their</i> amounts or <i>their</i> interests</p>

Question 10

(a) 14 10 or 2 10 pm final answer	2	M1 for (0)8 10 oe or answer 14 hours and 10 minutes or answer 2 10 [am]
(b) 5 hours 45 minutes cao	2	M1 for 345 [mins] seen or for $805 / 7 \times 3$ oe or 5.75 seen
(c) (i) 798 or 798.2 to 798.4....	2	M1 for $10712 / 13 \frac{25}{60}$ or $10712 \div 13.4...$
(ii) $1.82 \times 10^5$ or $1.815 \times 10^5$ to $1.816 \times 10^5$	4	B3 for 182000 or 181500 to 181600 seen or M2 for 10712000/59 oe or M1 for figs 10712/figs 59 soi by figs 182 or figs 1815 to 1816 and B1 FT for their number of litres correctly converted to standard form rounded to 3sf or better
(d) 8600	3	M2 for $10148 \div 1.18$ oe or M1 for 10148 associated with 118[%]

Question 11

(a) 48 and 57, $9n + 3$ oe	1	2	B1 for $9n + k$ oe
(b) 56 and 50, $86 - 6n$ oe	1	2	B1 for $k - 6n$ oe
(c) 125 and 216, $n^3$ oe	1	1	
(d) 130 and 222 $n^3 + n$ oe	1	1FT	FT <i>their</i> (c) + $n$ dep on expression in $n$ in (c)



Question 12

(a) (i) $\frac{2}{5}$ cao	1	
(ii) 3 : 2 cao	1	
(b) (i) 1.22	2	M1 for $86.38 - 28 \times 1.56$
(ii) 1.3 [0] nfw	3	M2 for $1.56 \div 1.2$ oe or M1 for $1.56 = 120\%$ soi
(c) 33.6[0]	2	M1 for $(667 - 314.2) \div 10.5$ oe

Question 13

(a) 3 correct lines on grid (0, 0) to (40, 5) (40, 5) to (100, 5) (100, 5) to (120, 0)	2	Allow good freehand SC1FT for 2 lines correct, FT from an incorrect line
(b) $\frac{5}{40}$ oe	1	
(c) 3.75	4	M2 for $0.5 \times 40 \times 5 + 60 \times 5 + 0.5 \times 20 \times 5$ oe [450] or M1 for evidence of a relevant area = distance and M1dep <i>their</i> area (or distance) $\div 120$

Question 14

(a) (i)	$1 + 2 + 3 + 4 + 5 = 15$	1	
(ii)	Correct substitution equating to sum e.g. $\frac{2(2+1)}{k} = 3$ and $k = 2$ stated with no errors seen	2	M1 for using a value of $n$ in $\frac{n(n+1)}{k}$ e.g. $\frac{2(2+1)}{k} = 3$ or for a verification using $k = 2$ e.g. $\frac{2(2+1)}{2} = 3$
(iii)	1830	1	
(iv)	30	2	M1 for $\frac{n(n+1)}{2} = 465$ or better
(v)	$n - 8$	1	
(b) (i)	225, 15	2	B1 either
(ii)	$\frac{n^2(n+1)^2}{4}$ oe	1	
(iii)	36100	2	M1 for $\frac{19^2(19+1)^2}{4}$ oe or $190^2$

Question 15

(a)	62100[.00] Final answer	2	B1 for 62 074[. 35] or 62070
(b)	39300	3	M2 for $45\,981 \div 1.17$ oe or M1 for 45 981 associated with 117 [%]
(c)	20436	2	M1 for $45\,981 \div (3+4+2)$ or $45\,981 \times 4$
(d)	4	3	M2 for $\frac{1.5 \times 1000}{330}$ oe or M1 for figs 4545... or 455
(e)	25545	2	M1 for $45\,981 \times \frac{5}{9}$

Question 16

(a)	$\frac{1}{8} \frac{1}{16} \frac{1}{32}$	2	<b>B1</b> for 2 correct
	$\frac{1}{2^{n-1}}$ oe	2	<b>SC1</b> for $\frac{1}{2^n}$ oe
	$2^{-3} 2^{-4} 2^{-5}$	1	
	$2^{1-n}$ or $2^{-(n-1)}$	1	
(b) (i)	64 256 1024	1	
	$2^6 2^8 2^{10}$	1	
(ii)	$2^{2(n-1)}$ or $2^{2n-2}$	1	
(c)	16 384	2	<b>B1</b> for $n = 8$

Question 17

(a)	$240 \div (5 + 7) \times 7$ [=140] oe	M2	<b>M1</b> for $240 \div (5 + 7)$ or $240 \times 7$
(b)	2 : 3 final answer	2	<b>B1</b> for ratio of form $2x : 3x$ seen or <b>SC1</b> for 3 : 2
(c)	144	3	<b>M2</b> for $120 + \frac{120 \times 4 \times 5}{100}$ oe or <b>M1</b> for $\frac{120 \times 4 \times 5}{100}$
(d)	89.99 cao mark final answer	3	<b>B2</b> for 89.9[8...] shown but not spoiled or answer 90[.0.] nfw  or <b>M1</b> for $80 \times \left(\frac{104}{100}\right)^3$ oe  If <b>M1</b> spoiled by adding 80 or subtracting 80 then <b>SC1</b> for answers 169.99 or 9.99
(e)	4.08	3	<b>M2</b> for $\frac{200 \times r \times 2}{100} = 200 \times 1.04^2 - 200$ oe  or <b>M1</b> for $200 \times 1.04^2$ [216.3[2]] oe  or $\frac{200 \times r \times 2}{100}$ oe

Question 18

$\frac{1}{3}$	1	Allow equivalent decimal throughout (3sf or better where necessary)
$\frac{72}{360}$ oe	1	
$\frac{1}{4}$	2	<b>M1</b> for $\left(\frac{1}{2}\right)^2$ or $(2)^2$ or $1^2 : 2^2$ or $2^2 : 1^2$ oe seen
$\frac{1}{6}$	2	<b>M1</b> for $[X = 6 \times ] 0.5 \times l^2 \times \sin 60$ or $[X = 6 \times ] 0.5 \times l^2 \times \sin 120$ Or recognition that the area of the obtuse-angled triangle shaded is equal to the area of one of the 6 equilateral triangles from the centre
$\frac{\pi - 2}{\pi}$ or $1 - \frac{2}{\pi}$ or 0.363 or 0.3630 to 0.3635	4	If fraction given as answer, check if it falls into range <b>B1</b> for [sector =] $\frac{1}{4}\pi r^2$ oe <b>B1</b> for [triangle =] $\frac{1}{2}r^2$ oe <b>M1dep</b> for $\frac{\text{their sector} - \text{their triangle}}{\text{their sector}}$ dep on <b>B1B1</b> earned

Question 19

(a)	8	2	<b>M1</b> for $12 \div 1.5$ oe
(b)	[Distance =] 36 their $36 \div 3 [= 12]$ oe	<b>B1</b> <b>M1</b>	
(c)	200	2	<b>M1</b> for $12 \times 1000 \div 60$ oe e.g. $36000 \div 180$
(d)	Horizontal line at 36 to 13 45 (their 13 45, 36) joined to (16 42, 0)	1 <b>1FT</b>	

Question 20

(a)	62705	2	<b>M1</b> for $75246 \div 6$ soi by 12 541 or $75246 \times 5$
(b)	10.9 or 10.88...	3	<b>M2</b> for $\frac{(150675 - 135890)}{135890} \times 100$ oe  <b>or</b> <b>M1</b> for correct fraction soi by 0.1088... or $\frac{150675}{135890} \times 100$ soi by 110.88...
(c)	127 000	3	<b>M2</b> for $135890 \div 1.07$ oe <b>or</b> <b>M1</b> for 135890 associated with 107%

Question 21

(a) (i)	$\frac{920}{8} \times 7$ [=805] oe	1	$\frac{2990}{26} \times 7$ [= 805]
(ii)	30.8 or 30.76 to 30.77	2	<b>M1</b> for $\frac{8}{(11+8+7)}$ [ $\times 100$ ]
(b)	1211 final answer	5	<b>B4</b> for 13 926.5[0] [area A total sales] or <b>B3</b> for 11 040 [area B] and 10 867.50 [area C] or 21 907.5 [area B + area C] or <b>B2</b> for 11 040 [area B] or 10 867.50 [area C] or <b>M1</b> for 736 [B tickets] and <b>M1</b> for 483 [C tickets]  After 0 scored <b>SC2</b> for answer of 1196 or <b>SC1</b> for 13754 (A total sales)
(c)	37720	3	<b>M2</b> for $\frac{35834}{0.95}$ oe or <b>M1</b> for 35834 associated with 95[%]

Question 22

(a) (i)	49.5[0]	3	M2 for $16.5[0] \div 5 \times (5 + 3 + 7)$ or M1 for $16.5[0] \div 5$
(ii)	66	1FT	FT <i>their</i> (a)(i) $\div 75 \times 100$ to 3 sf or better
(b)	2 hours 39 mins 45 secs	3	B2 for 159.75 oe, e.g. 2.6625 [h] 9585 [s] or M1 for 3 hrs 33 mins oe / (2 + 9 + 1) oe
(c)	18.75 <b>final answer</b>	3	M2 for $16.5[0] \div 0.88$ oe or M1 for $16.5[0]$ associated with 88[%]


Question 23

(a)	28 45 17 21 45 66	1, 1 1 1	
(b) (i)	$4n - 3$ oe	2	M1 for $4n + k$
(ii)	237	1	
(iii)	50	2FT	FT <i>their</i> (b)(i) = 200 solved and then answer truncated <b>dep</b> on linear expression of form $an + k$ M1 for <i>their</i> $4n - 3 = 200$ or <i>their</i> $4n - 3 \leq 200$
(c)	$p = 2$ and $q = -5$ with some correct supporting working leading to the solutions	5	M2 for any 2 of $p + q + 3 = 0$ oe, $2^2 p + 2q + 3 = 1$ oe, $3^2 p + 3q + 3 = 6$ oe, $4^2 p + 4q + 3 = 15$ oe, $5^2 p + 5q + 3 =$ <i>their</i> 28 oe, etc. or M1 for any one of these M1 indep for correctly eliminating $p$ or $q$ from pair of linear equations A1 for one correct value If 0 scored SC1 for 2 values that satisfy one of their original equations After M0, 2 correct answers SC1
(d)	$2n^2 - n$ or $n(2n - 1)$	2	B1 for answer $2n^2 + k[n]$ or M1 for <i>their quadratic</i> from (c) + <i>their linear</i> from (b)(i)

Question 24

(a)	$\frac{1.5}{100} \times 450000$ oe	1	Accept equivalent methods
(b)	6000	3	<b>M2</b> for $\frac{6750}{112.5} \times 100$ oe or <b>M1</b> for 112.5% associated with 6750 oe
(c)	376.25 cao final answer	2	<b>B1</b> for 21.5 and 17.5 seen
(d)	22.4	2	<b>M1</b> for $200^2$ or $2^2$ seen oe
(e)	5184	2	<b>M1</b> for $12 \times 16 \times 27$
(f)	9023	3	<b>M1</b> for $12000 \div 1.33$ <b>A1</b> for 9022.55 to 9022.56 or 9022.6 or 9020 <b>B1indep</b> for their answer rounded to the nearest euro if possible

Question 25

(a)		1	
(b)	30 10	1 1	
(c)	$n(n+1)$ oe	2	<b>B1</b> for $an^2 + bn + c$ $a, b, c$ numeric $a \neq 0$
(d)	$\frac{1}{2}n(n-1)$ oe	2	<b>B1</b> for using $\frac{1}{2}$ oe in expression of form $\frac{1}{2}(an^2 + bn + c)$ $a \neq 0$ or $kn(n-1)$ $k \neq 0$

Question 26

<b>(a)</b>	<b>(i)</b>	$640 \times 1.02^6$ oe $= 720.7\dots$	<b>M1</b> <b>B1</b>	Must be seen
	<b>(ii)</b>	3.02 or 3.020 to 3.024... nfw	<b>4</b>	<b>M3</b> for $[x = ] \sqrt[4]{721 \div 640}$ or better (implied by answer of 1.03[02...] or $r = 0.0302[4\dots]$ ) or <b>M2</b> for $(their\ x)^4 = 721 \div 640$  or <b>M1</b> for $640 \times (their\ x)^4 = 721$ oe
<b>(b)</b>		874.8[0] final answer	<b>2</b>	<b>M1</b> $1200 \times (1 - 0.1)^3$ oe

Question 27

<b>(a)</b>	$\frac{5}{7}$	$\frac{n}{n+2}$ oe	<b>8</b>	<b>B1</b> each
	7	$n+2$ oe		
	3	$n-2$ oe		
	21	$n^2 - 4$ oe		
<b>(b)</b>	72		<b>2</b>	<b>M1</b> for $\frac{72}{74}$ or <i>their</i> $\frac{n}{n+2} = \frac{36}{37}$
<b>(c)</b>	27		<b>2</b>	<b>M1</b> for <i>their</i> $(n^2 - 4) = 725$ or $25 \times 29 [= 725]$



Question 28

(a)	1848 final answer	2	<b>M1</b> for $1650 \times \left(1 + \frac{12}{100}\right)$ oe
(b) (i)	1750	2	<b>M1</b> for $\frac{500}{9-5}$ [ $\times 5$ ] or [ $\times 9$ ] or any equation which would lead to $4x = 500$ or $4x = 2500$ or $4x = 4500$ or $4x = 7000$ when simplified
(ii)	$64\frac{2}{7}$ or 64.3 or 64.28 to 64.29	1	
(c) (i)	33 : 20 oe	2	<b>B1</b> for 33 : 6 or 20 : 6 or 5.5 oe seen or 3.33...oe seen or <b>M1</b> for two ratios with a common number of children implied by $20k$ and $33k$ seen, $k > 0$
(ii)	236	3	<b>M2</b> for $\frac{24}{2} \times 11 + \frac{24}{3} \times 10$ oe or $((3 \times 11) + (2 \times 10)) \times 24 \div 6$ or $\frac{6}{6+20+33} \times x = 24$ or <b>M1</b> for $\frac{24}{2} \times 11$ or $\frac{24}{2} \times 13$ soi or $\frac{24}{3} \times 10$ or $\frac{24}{3} \times 13$ soi oe or $24 \div 6$ soi
(d)	17[.00]	3	<b>M2</b> for $20.40 \div \left(1 + \frac{20}{100}\right)$ oe or <b>M1</b> for $(100 + 20)\%$ oe associated with 20.40 seen

Question 29

(a) (i)	$\frac{13}{13+8+3} \times 12000$ with no subsequent errors	1	
(ii)	4000	1	
(b)	$2 \times 6500 + 5 \times \text{their(a)(ii)} + (12000 - 6500 - \text{their(a)(ii)})$ or $(13 \times 2 + 8 \times 5 + 3 \times 1) \times 500$	2	<b>B1</b> for any two of $2 \times 6500$ , $5 \times \text{their(a)(ii)}$ , $(12000 - 6500 - \text{their(a)(ii)})$ seen or $13 \times 2 + 8 \times 5 + 3 \times 1$
(c)	37 500	3	<b>M2</b> for $\frac{34500}{100-8} \times 100$ oe or <b>M1</b> for 34500 associated with $(100 - 8)\%$
(d)	$\frac{11}{26}$ cao	2	<b>M1</b> for any correct simplified version of $\frac{2750}{6500}$
(e)	89 500	1	
Question 30			
(a) (i)	3.9[0]	2	<b>M1</b> for $2.6 \div 2$
(ii)	$\frac{13}{18}$ cao	2	<b>B1</b> for any correct unsimplified fraction
(iii)	24	3	<b>M2</b> for $9 \div 0.375$ oe or <b>M1</b> for associating 9 with $(100 - 62.5)\%$
(b)	109 cao	3	<b>B2</b> for 108.5 to 108.6 or <b>M1</b> for $250 \times \left(1 - \frac{8}{100}\right)^{10}$ oe

Question 31


<b>A</b>	$-13, -20$ $-7n + 22$ oe	1 2	<b>SC1</b> for $-7n + k$ or $kn + 22$ oe
<b>B</b>	$\frac{9}{22}, \frac{10}{23}$ $\frac{n+4}{n+17}$ oe	1 2	<b>B1</b> for $n + 4$ oe or $n + 17$ oe seen, but not in wrong position
<b>C</b>	$26, 37$ $n^2 + 1$ oe	1 1	
<b>D</b>	$162, 486$ $2 \times 3^{n-1}$ oe	1 2	<b>SC1</b> for $k \times 3^{n+p}$ [ $k, p$ integers] Accept $2 \times \frac{3^n}{3}$

Question 32

<b>(a)</b>	$\frac{8}{8+15+9} \times 640$ oe	1	With no errors seen
<b>(b)</b>	300 and 180	2	<b>B1</b> for each or <b>SC1</b> for answers reversed
<b>(c)</b>	10 nfw	2	<b>M1</b> for $160 \div 15.25$ implied by 10.5 or 10.49... nfw
<b>(d)</b>	$\frac{7}{24}$	3	<b>M1</b> for $\frac{3}{8} + \frac{1}{3}$ oe <b>M1dep</b> on previous <b>M1</b> for $1 - \text{their } (\frac{3}{8} + \frac{1}{3})$ oe

Question 33

(a)	8 25 17	2	B1 for 2 correct
(b)	$n + 2$ oe	1	
(c) (i)	$(n - 1)^2$ oe	2	M1 for $(n + k)^2$ for integer $k$
(ii)	92	2	M1 for $\sqrt{8281}$ or 91 seen
(d) (i)	$n^2 - 3n - 1$ final answer	2	M1 for <i>their</i> $(n - 1)^2$ - <i>their</i> $(n + 2)$ soi
(ii)	39	1	
(e)	1 and $-\frac{1}{2}$ oe	1	
	$\frac{1}{4}$ oe	1	
	$-\frac{1}{8}$ oe	1	



Question 34

(a)	6	3	<b>B2</b> for $5\frac{1}{4}$ or 5.25 shown in working isw or <b>M1</b> for $\frac{3}{4} \times 7$ soi by answer 5
(b)	21.45 cao final answer	2	<b>M1</b> for $17.16 \times 0.25$ or $17.16 \times 1.25$
(c)	16.5[0] nfw	3	<b>M2</b> for $17.16 \div 1.04$ oe or <b>M1</b> for 17.16 associated with 104[%] oe isw
(d)	1.34 cao final answer	2	<b>M1</b> for $13.32 \div 0.72$ soi by 18.5[0] or for any correct complete longer method If zero scored, <b>SC1</b> for 0.96 [euros] seen
(e) (i)	750	1	
(ii)	4.7 cao	3	<b>B2</b> for 4.658 to 4.66 or <b>M2</b> for $\sqrt{\text{their (e)(i)} \div 11\pi}$ or <b>M1</b> for $11\pi^2 = \text{their (e)(i)}$
(iii)	6	2	<b>M1</b> for $2^3$ or $\frac{1}{2^3}$ oe seen or for $\pi \times (2 \times \text{their (e)(ii)})^2 \times 22$  If zero scored, <b>SC1</b> for answer 6 000
(f)	8950	1	
(g)	210	2	<b>M1</b> for $0.07 \times 3000$
(h)	160000	3	<b>M2</b> for $2 \times 60 \times 100^3 \div 750$ oe or <b>M1</b> for figs 16 as answer or $100^3$ seen

Question 35

(a) (i)	16	1	
(ii)	$n^2$	1	
(b) (i)	43	1	
(ii)	7	1	
(c)	$a = \frac{5}{2}$ oe, $b = \frac{5}{6}$ oe with supporting working	6	<p><b>M1</b> for any correct substitution eg <math>\frac{2}{3}(2)^3 + 2^2a + 2b</math></p> <p><b>A1</b> for one of eg <math>\frac{2}{3} + a + b = 4</math> or better eg <math>\frac{16}{3} + 4a + 2b = 17</math> or better eg <math>\frac{54}{3} + 9a + 3b = 43</math> or better</p> <p><b>A1</b> for another of eg <math>\frac{2}{3} + a + b = 4</math> or better eg <math>\frac{16}{3} + 4a + 2b = 17</math> or better eg <math>\frac{54}{3} + 9a + 3b = 43</math> or better</p> <p><b>M1</b> for correctly eliminating one variable from two of <i>their</i> equations in <math>a</math> and <math>b</math></p> <p><b>A1</b> for <math>a = \frac{5}{2}</math> oe</p> <p><b>A1</b> for <math>b = \frac{5}{6}</math> oe</p> <p>After zero scored, <b>SC2</b> for 2 correct answers without supporting working or <b>SC1</b> for 2 of 17, 43, 86, 150, 239 seen</p>

Question 36

(a)	$\frac{8}{8+15+9} \times 640$ oe	1	With no errors seen
(b)	300 and 180	2	<b>B1</b> for each or <b>SC1</b> for answers reversed
(c)	10 nfw	2	<b>M1</b> for $160 \div 15.25$ implied by 10.5 or 10.49... nfw
(d)	$\frac{7}{24}$	3	<b>M1</b> for $\frac{3}{8} + \frac{1}{3}$ oe <b>M1dep</b> on previous <b>M1</b> for $1 - \text{their} \left(\frac{3}{8} + \frac{1}{3}\right)$ oe

Question 37

(i)	$\frac{9}{200}$ or 0.045	1	
(ii)	10800	3	<b>M2</b> for $\frac{1}{2} (900 + 1500) \times 9$ oe or <b>M1</b> for method of finding a relevant area
(iii)	7.2	1FT	<b>FT</b> ( <i>their</i> 10800) $\div$ 1500

Question 38

(a)	6250	3	<b>M2</b> for $\frac{6000}{100-4} \times 100$ oe or <b>M1</b> for 6000 associated with 96 [%]
(b)	4441	3	<b>B2</b> for 4441.1 to 4441.2 or 4440 or <b>M1</b> for $\frac{6000}{1.351}$
(c)	1.58 or 1.581...	5	<b>M1</b> for $6000 \times \left(1 + \frac{1.5}{100}\right)^8$ oe <b>A1</b> for 6758.95..... or 6758.96 to 3 sf or better or 758.95 or 758.96 rounded or truncated to 3 sf and <b>M2</b> for $\{\text{their}(6000 \times 1.015^8) - 6000\} \times \frac{100}{6000 \times 8}$ oe or <b>M1</b> for $\frac{6000 \times r \times 8}{100}$ oe

Question 39

(a) (i)	36600	3	<b>M2</b> for $6100 \div 2 \times (2 + 7 + 3)$ oe or <b>M1</b> for $6100 \div 2$ soi
(ii)	$16\frac{2}{3}$ or 16.7 [16.66 to 16.67]	1	
(b)	1231 708 final answer nfw	5	<b>M4</b> for $5964 \times 15 + 28400 \times 35 + 8236 \times 18$ or <b>M3</b> for $5964 \times 15$ and $28400 \times 35$ or for $5964 \times 15 + 42600 \times$ <i>their</i> decimal $\frac{2}{3}$ $\times 35 + (42600 - 5964 - 42600 \times$ <i>their</i> decimal $\frac{2}{3}) \times 18$ or <b>M2</b> for $5964 \times 15$ or $28400 \times 35$ or for $42600 \times$ <i>their</i> decimal $\frac{2}{3} \times 35$ or <b>M1</b> for $0.14 \times 42600$ or $42600 \div 3 \times 2$
(c)	27.2[0] nfw	5	<b>M2</b> for $23.80 \div 0.7$ oe or <b>M1</b> for 23.80 associated with 70% oe and <b>M2</b> for <i>their</i> $(23.80 \div 0.7) \times 0.8$ or <b>M1</b> for <i>their</i> $(23.80 \div 0.7) \times 0.2$


Question 40

(i)	2.5	1	
(ii)	1312.5 final answer	3	<b>M2</b> for any complete correct method e.g $25 \times 10 \div 2 + 45 \times 25 + 5 \times 25 \div 2$ <b>M1</b> for any correct method for a relevant area under the graph



Question 41

(a)	10 15	6	<b>B1</b> for each correct entry
	15 21		
	35 48		
(b) (i)	3	2	<b>M1</b> for any correct substitution in $n^2 + 4n + p$ = number of tiles eg $2^2 + 4(2) + p = 15$
(ii)	143	1FT	<b>FT</b> 140 + <i>their</i> (b)(i)
(c)	$a = \frac{1}{2}$ oe $b = \frac{3}{2}$ oe nfw	5	<b>B1</b> for a correct simplified equation e.g. $a + b + 1 = 3$ , $4a + 2b + 1 = 6$ , $9a + 3b + 1 = 10$ etc <b>B1</b> for a 2 <sup>nd</sup> correct simplified equation <b>M1</b> for correctly eliminating one variable for <i>their</i> equations in $a$ and $b$ <b>A1</b> for $a = \frac{1}{2}$ nfw <b>A1</b> for $b = \frac{3}{2}$ nfw
(d) (i)	171	2FT	<b>FT</b> <i>their</i> $a \times 17^2 + \text{their } b \times 17 + 1$ <b>M1</b> for <i>their</i> $a \times 17^2 + \text{their } b \times 17 + 1$
(ii)	673	1FT	<b>FT</b> <i>their</i> (d)(i) $\times 4 - 11$



Question 42

(a) (i)	12 45 [pm]	2	<b>B1</b> for 20 45 seen or 8 45 pm seen or [0]1 35 seen
(ii)	788 or 787.8 to 788.1	2	<b>M1</b> for $8800 \div 11$ h 10 mins oe
(b) (i)	4230[.00]	2	<b>M1</b> for $2350 \div 5$ oe
(ii)	22.2 or 22.2...	1	
(c) (i)	3808 final answer	2	<b>M1</b> for $2240 \times \frac{100+70}{100}$ oe
(ii)	800	3	<b>M2</b> for $2240 \div \frac{100+180}{100}$ oe or <b>M1</b> for 2240 associated with 280%
(d) (i)	1130	4	<b>M3</b> for $(826.5[0] - 12 \times (28 + 6.5[0])) \div 1.25$ seen or <b>M2</b> for $826.5[0] - 12 \times (28 + 6.5[0])$ seen or <b>M1</b> for $12 \times (28 + 6.5[0])$ seen
(ii)	\$146.9[0] final answer	2FT	<b>FT</b> <i>their</i> (d)(i) $\times 0.13$ correctly evaluated If answer not exact to at least 3 sf or better <b>M1</b> for <i>their</i> (d)(i) $\div 10 \times 1.3$

Question 43

(a) (i)	48	2	<b>M1</b> for $\frac{72}{3}$
(ii)	32.4[0]	1	
(iii)	$\frac{13}{30}$	2	<b>M1</b> for $\frac{72 - \text{their}(ii) - 8.4}{72}$ oe
(iv)	24	3	<b>M2</b> for $\frac{19.2}{0.8}$ oe or <b>M1</b> for recognising 19.2 is 80%
(b)	660	3	<b>M2</b> for $\frac{550 \times 2 \times 10}{100} + 550$ oe or <b>M1</b> for $\frac{550 \times 2 \times 10}{100}$ oe
(c)	663.9[0]	2	<b>M1</b> for $550 \times 1.019^{10}$ oe
(d)	1.5[0]	3	<b>M2</b> for $\sqrt[10]{\frac{638.3[0]}{550}}$ oe or <b>M1</b> for $550 \times m^{10} = 638.3[0]$

Question 44

(a) (i)	1050	2	M1 for $924 \div 22$ oe or $924 \div 0.88$ oe
			If zero scored, SC1 for 126 seen
		1	
		2	M1 for $9 \div (7 + 5)$ or $540 \div (7 + 5)$
			If zero scored, SC1 for answer 3.75h or 3h 45 mins
(a) (ii)	12		
(a) (iii)	$5 \frac{1}{4}$ hrs or 5.25 hrs		
(b)	24.6[0]	3	M2 for $15.99 \div \left(1 - \frac{35}{100}\right)$ oe
			or M1 for 65% associated with 15.99
(c)	63	3	M2 for $35 \times \sqrt{\frac{2835}{875}}$ oe
			or M1 for $\sqrt{\frac{2835}{875}}$ or $\sqrt{\frac{875}{2835}}$ or better or
			$\frac{\sqrt{2835}}{?} = \frac{\sqrt{875}}{35}$ oe
			OR
			M2 for $\sqrt{2835 \times \frac{35}{\text{their}(875 \div 35)}}$ oe
			or
			M1 for $\frac{35}{\text{their}(875 \div 35)}$ or $\frac{\text{their}(875 \div 35)}{35}$
(d) (i)	0.661[0]	1	
		3	M2 for $\frac{18.50 - 12.50}{12.50} \times 100$
			or M1 for $\frac{18.50 - 12.50}{12.50}$ or $\frac{18.50}{12.50} \times 100$
(d) (ii)	48		

Question 45

(a)	A: 14	$3n - 1$ oe	3	<b>B1</b> for 14 <b>B2</b> for $3n - 1$ oe or <b>M1</b> for $3n + k$ , for any $k$ oe
	B: -4	$26 - 6n$ oe	3	<b>B1</b> for -4 <b>B2</b> for $26 - 6n$ oe or <b>M1</b> for $k - 6n$ , for any $k$ oe
	C: 25	$n^2$ oe	2	<b>B1</b> for 25 <b>B1</b> for $n^2$ oe
	D: 20	$n^2 - n$ oe	2	<b>B1</b> for 20 <b>B1</b> for $n^2 - n$ oe
(b) (i)	$\frac{n(3n+1)}{2} = 155$		<b>M1</b>	Accept $\frac{3n^2 + n}{2} = 155$
	$3n^2 + n = 310$			Intermediate step must include elimination of fraction eg $n(3n + 1) = 310$
	$3n^2 + n - 310 = 0$		<b>A1</b>	With no errors or omissions
(ii)	$10, -\frac{31}{3}$ oe		3	<b>M2</b> for $(3n + 31)(n - 10) [= 0]$ or <b>M1</b> for $3n(n - 10) + 31(n - 10)$ or $n(3n + 31) - 10(3n + 31)$ or $(3n + a)(n + b)$ where $ab = -310$ or $a + 3b = 1$
(iii)	10		<b>1FT</b>	<b>FT</b> their <b>b(ii)</b> if only one positive integer solution

Question 46

(a) (i)	11 054.25 final answer	2	M1 for $18000 \times \left(1 - \frac{15}{100}\right)^3$ oe
(ii)	16 500	3	M2 for $14025 \div \left(1 - \frac{15}{100}\right)$ oe or M1 for recognition of 14025 as 85% soi
(b)	260 final answer	2	M1 for $P \left(1 + \frac{5}{100}\right)^2 = 286.65$ oe
(c) (i)	6.18	3	M2 for $\frac{224.72 - 200}{200 \times 2} \times 100$ oe or $\frac{1}{2} \left( \frac{224.72}{200} \times 100 - 100 \right)$ or M1 for $\frac{200 \times r \times 2}{100}$ oe or $\frac{224.72 - 200}{200 \times 2}$ or $\frac{224.72}{200} \times 100 - 100$ soi by 12.36 If zero scored, SC1 for 56.18 or 56.2 as final answer
(ii)	6	3	M2 for $\sqrt{\frac{224.72}{200}}$ or $\sqrt{\frac{224.72}{2}}$ soi by 1.06 or 106 or 10.6 or M1 for $200 \left(1 + \frac{r}{100}\right)^2 = 224.72$ oe

Question 47

(a) (i)	60 and 45	2	M1 for $105 \div (4 + 3)$
(ii)	117.6[0] final answer	2	M1 for $105 \times 1.12$ oe
(iii)	125	3	M2 for $105 \div (1 - \frac{16}{100})$ oe or M1 for 105 seen associated with 84%
(b)	30.68 final answer	6	B5 for 30.7[0] or 30.68... or B4 for 905 to 906 and 875 or 405 to 406... and 375 OR M1 for $500 \times \left(1 + \frac{2}{100}\right)^{30}$ [- 500] oe M1 for $[500 +] \frac{500 \times 2.5 \times 30}{100}$ B1 for 905 to 906 or 875 or 405 to 406 or 375
(c)	480 or 479.8 to 479.9...	3	M2 for $1469 \div \left(1 + \frac{3.8}{100}\right)^{30}$ oe or M1 for $P \times \left(1 + \frac{3.8}{100}\right)^{30} = 1469$ oe
(d)	6.5[0] or 6.500...	3	M2 for $\sqrt[11]{\frac{120150}{60100}}$ [ $\times 100 - 100$ ] oe or M1 for $60100 \times ( )^n = 120150$ oe where $n = 5$ or 11 or 55

Question 48

(a)	22.9 or 22.85 to 22.86	2	<b>M1</b> for $\frac{8}{10+17+8} [\times 100]$ oe
(b)	$5635 \times \frac{17}{10+17+8}$ or better [= 2737]	2	<b>M1</b> for $\frac{5635}{(10+17+8)}$
(c)	5000	3	<b>M2</b> for $5635 = k \left(1 + \frac{2.42}{100}\right)^5$ oe or <b>B1</b> for $\left(1 + \frac{2.42}{100}\right)$
(d)	9950	2	<b>M1</b> for $2 \times 2500$ or $3 \times 1650$
(e)	1.98 final answer	2	<b>B1</b> for 1.976 or 1.98 not final answer or <b>M1</b> for $130 \times 0.0152$

Question 49

(a)	<table border="0"> <tr> <td></td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td></td> </tr> <tr> <td>8</td> <td>16</td> <td>32</td> <td>64</td> <td>128</td> <td></td> </tr> </table>		4	5	6	7		8	16	32	64	128		1 3	<b>B2</b> for 3 or 4 correct or <b>B1</b> for first 2 correct If 0 scored, <b>SC1</b> for 4 values correctly doubled <b>FT</b> one error
	4	5	6	7											
8	16	32	64	128											
(b)	$2^n$ oe	1													
(c) (i)	$2 + 4 + 8 = 14$	1													
	$16 - 2 = 14$	1	or for $14 + 2 = 16 = 2^4$												
(ii)	62 and 6	2	<b>B1</b> for each												
(iii)	$2^{n+1} - 2$ oe	1													
(iv)	9	1													

Question 50

(a)(i)	9550	<b>1</b>	
(a)(ii)	23 158 750	<b>2FT</b>	<b>FT</b> <i>their</i> <b>(a)(i)</b> $\times 2425$ correctly evaluated <b>M1</b> for <i>their</i> lower bound $\times 2425$
(a)(iii)	23 160 000	<b>1FT</b>	<b>FT</b> <i>their</i> <b>(a)(ii)</b> rounded to 4 sf
(a)(iv)	$2.316 \times 10^7$	<b>1FT</b>	<b>FT</b> <i>their</i> <b>(a)(iii)</b> or <i>their</i> <b>(a)(ii)</b> rounded to 3sf or more and in standard form
1(b)	520 nfw	<b>3</b>	<b>M2</b> for $546 \times \frac{100}{(100+5)}$ oe or <b>M1</b> for 105[%] associated with 546 oe
1(c)	3380 or 3376 to 3377	<b>2</b>	<b>M1</b> for $3000 \times \left(1 + \frac{3}{100}\right)^4$ oe

Question 51

64	$(n+3)^2$ oe final answer	<b>1, 2</b>	<b>M1</b> for a quadratic expression seen or second differences 2
17	$3n+2$ oe final answer	<b>1, 2</b>	<b>B1</b> for $3n+k$ (any $k$ ) or $kn+2$ ( $k \neq 0$ )
47	$(n+3)^2 - (3n+2)$ oe isw	<b>1, 2FT</b>	<b>FT</b> <i>their</i> difference expressions $A - B$ <b>M1</b> for expression $an^2 + bn + c$ seen or second differences 2
$\frac{7}{6}$	$\frac{n+2}{n+1}$ oe final answer	<b>1, 2</b>	<b>B1</b> for $\frac{n+k+1}{n+k}$ seen



Question 52

(a)(i)	$600 \div (11+9) \times 11$ [=330] with no errors seen	<b>M1</b>	Could be in separate steps
(a)(ii)	270	<b>1</b>	
(b)(i)	372 cao nfw	<b>3</b>	<b>B2</b> for answer 371.7... or <b>M1</b> for $330 \times \left(1 + \frac{1.5}{100}\right)^8$ oe not spoiled  After zero scored, <b>SC1</b> for answer 42 or 41.7...
(b)(ii)	12.6 or 12.7 or 12.63 to 12.73	<b>2</b>	<b>M1</b> for $\frac{\text{their (b)(i)} - 330}{330}$ or $\frac{\text{their (b)(i)}}{330} \times 100$ soi by 112.7 or 113 After zero scored, <b>SC1</b> for answer 12%
(c)(i)	$\frac{99}{280}$ cao final answer	<b>1</b>	
(c)(ii)	27.5[0]	<b>3</b>	<b>M2</b> for $24.75 \div \frac{100-10}{100}$ oe or <b>M1</b> for recognising 24.75 as 90[%] oe
(d)(i)	32 cao	<b>2</b>	<b>M1</b> for $\left(1 - \frac{20}{100}\right)\left(1 - \frac{15}{100}\right)[x]$ oe or for $0.15 \times 0.8 [x]$ oe
(d)(ii)	13 cao	<b>2</b>	<b>M1</b> for $\left(1 - \frac{20}{100}\right)\left(1 - \frac{15}{100}\right) \times x = 40.84 - 32$ oe seen or for $\text{their (d)(i)} + \left(1 - \left(\frac{\text{their (d)(i)}}{100}\right)\right)x = 40.84$ oe

Question 53

(a)(i)	100	1	
(a)(ii)	92.3 or 92.29... to 92.31	3	<b>M2</b> for $200 \div (2 + \frac{10}{60})$ oe or <b>M1</b> for $200 \div$ <i>their</i> time interval or <b>M1</b> for $\frac{10}{60}$ soi oe
(b)(i)	240 nfw	3	<b>M2</b> for $\frac{V}{2} \left( \frac{30}{60} + \frac{20}{60} \right) = 100$ oe or <b>M1</b> for any correct relevant area seen in terms of $V$
(b)(ii)	$\frac{2}{9}$ oe	2FT	<b>FT</b> for <i>their</i> (b)(i) $\div$ 1080 to 3 sf or better <b>M1</b> for <i>their</i> (b)(i) $\times \frac{1000}{3600}$ soi

Question 54

(a)(i)	275.31	2	<b>M1</b> for $90 \times 23.15 + 1885 \times 13.5$ oe
(a)(ii)	3202	3	<b>M2</b> for $\frac{198.16 - 90 \times 0.245}{0.055}$ oe <b>M1</b> for $90 \times 0.245$ or $90 \times 24.5$ oe
(b)	17.[0] or 17.00 to 17.01	2	<b>M1</b> for $13.5 \times \left( 1 + \frac{8}{100} \right)^3$
(c)(i)	40	3	<b>M2</b> for $\frac{7.7 - 5.5}{5.5} [\times 100]$ oe or $\frac{7.7}{5.5} \times 100$ or <b>M1</b> for $\frac{7.7}{5.5}$ oe
(c)(ii)	11.9 or 11.86 to 11.87	3	<b>M2</b> for $\sqrt[3]{\frac{7.7}{5.5}}$ oe or <b>M1</b> for $5.5 \times x^3 = 7.7$ oe
(d)	150 [million] oe	2	<b>M1</b> for $390$ [million] $\div (5 + 2 + 6)$
(e)	250 nfw	3	<b>M2</b> for $258.25 \div ((100 + 3.3) \div 100)$ or <b>M1</b> for 258.25 associated with 103.3[%]

Question 55

(a)(i)	5 and 13	<b>1</b>	
(a)(ii)	$8n - 3 = 203$	<b>M1</b>	Evaluation of 25th or 26th term with supporting evidence or explanation
	$25.75$ or $25\frac{3}{4}$	<b>A1</b>	Second evaluation of 25th or 26th terms with supporting evidence or explanation  If zero scored, <b>SC1</b> for 25.75 or 197 and 205 with partial evidence or explanation
(b)(i)	$6n + 7$ oe final answer	<b>2</b>	<b>B1</b> for $6n + c$ or $kn + 7$ $k \neq 0$
(b)(ii)	$n^2 + n + 2$ oe final answer	<b>2</b>	<b>B1</b> for a quadratic expression or second difference = 2
9(c)	[ $y =$ ] 10	<b>2</b>	<b>M1</b> for $5(20 - y) = 50$
	[First term =] 14	<b>2</b>	<b>M1</b> for $5(x - \text{their } y) = 20$ or for $20 \div 5 + \text{their } y$

Question 56

(a)(i)	$180 \div (2 + 3 + 5) \times 5$ [= 90]	<b>1</b>	with no errors seen
(a)(ii)	7.05 or 7.053....	<b>3</b>	<b>M2</b> for $\frac{x}{12} = \sin 36$ oe or better or <b>B1</b> for 36 or 54 seen
(b)(i)	13	<b>2</b>	<b>M1</b> for $7.8 \div 3$ soi
(b)(ii)	36.9 or 36.86 to 36.87	<b>3</b>	<b>B1</b> for smallest angle identified <b>M1</b> for $\sin[ ] = \frac{3}{5}$ oe or $\sin[ ] = \frac{7.8}{\text{their (b)(i)}}$ oe If zero scored, <b>SC1</b> for calculation of 53.1

Question 57

(a)(i)	1890	2	<b>M1</b> for $126 \div 4 [\times 60]$ oe If zero scored, <b>SC1</b> for answer 31.5
(a)(ii)	103.95	4	<b>M3</b> for $0.5 \times \left( \frac{44}{60} + \frac{55}{60} \right) \times 126$ oe or <b>SC3</b> for figs 10395 or figs 104  or <b>M2</b> for two correct area methods or for a full method without minutes to hours conversion  or <b>M1</b> for one correct area with or without minutes to hours conversion
(b)(i)	$126 \times 1000 \div (60 \times 60)$	1	
(b)(ii)	46.3 or 46.28 to 46.29	3	<b>M2</b> for $(1400 + 220) \div 35$ oe or <b>M1</b> for distance $\div$ speed or $1400 + 220$
3(c)	180 nfw	4	<b>B3</b> for final answer 3 OR <b>M3</b> for $\frac{217.5}{72.5} \times 60$ oe or <b>M2</b> for $217.5 \div 72.5$ oe or $\frac{210 \text{ to } 220}{72.5} \times 60$ or $\frac{217.5}{72 \text{ to } 74} \times 60$ or <b>M1</b> for 217.5 or 72.5 seen or $\frac{215}{73} \times 60$

Question 58

(a)(i)	4 : 5	1	
(a)(ii)	4 : 5	1	
a)(iii)	3 : 4	2	<b>B1</b> for 12 : 16 or answer 4 : 3
(b)(i)	26.8 or 26.79...	3	<b>M2</b> for $\frac{15600-11420}{15600}[\times 100]$ or $\frac{11420}{15600}\times 100$ or <b>M1</b> for $\frac{11420}{15600}$
b)(ii)	16000 nfw	3	<b>M2</b> for $15600 \times \frac{100}{100-2.5}$ oe or <b>M1</b> for 15600 associated with 97.5[%] seen
1(c)	1.6 or $\frac{8}{5}$	2	<b>M1</b> for $\frac{200 \times x \times 15}{100} = 48$ oe or <b>M1</b> for figs 16
1(d)	2.5 or $\frac{5}{2}$ cao nfw	3	<b>B2</b> for 2.49[9...] or 102.4[99...] or 1.024[99...] or 2.50 or 102.5 or 1.025 or <b>M2</b> for $\sqrt[10]{\frac{256}{200}}$ oe or <b>M1</b> for $256 = 200(x)^{10}$ seen

Question 59

(a)(i)	23.27 final answer	2	<b>M1</b> for $9 \times 2.97$ soi
(a)(ii)	2.75 final answer	3	<b>M2</b> for $2.97 \div \frac{108}{100}$ oe or <b>M1</b> for 108[%] associated with 2.97 oe
1(b)	12.4[0] or 12.41 to 12.42	2	<b>M1</b> for $35 \div 0.0153$ oe If 0 scored, <b>SC1</b> for answer 0.19
1(c)	70 nfw	3	<b>M2</b> for $(600 + 2.5) \div (9 - 0.5)$ or <b>B1</b> for one of $600 + 2.5$ or $9 - 0.5$ seen

Question 60

1(a)	25 9 16	3	<b>B1</b> for each
b)(i)	$(n-1)^2$ oe	2	<b>B1</b> for any quadratic of form $[1]n^2[+bn+c]$
b)(ii)	$n+3$ oe	1	
1(c)	25	2	<b>M1</b> for <i>their</i> $(n-1)^2 = 576$
d)(i)	$n^2 - 3n - 2$ final answer	3	<b>M1</b> for <i>their</i> $(n-1)^2 - \text{their}(n+3)$ oe or 2nd diff = 2 soi <b>B1</b> for $n^2 - n - n + 1$ or better or $-n - 3$ or for expression of form $n^2 - 2n - n + k$ or correct expression not in simplest form
d)(ii)	808 cao	2	<b>M1</b> for substituting 30 in <i>their</i> <b>(d)(i)</b>

Question 61


(a)(i)	13.5	3	<b>M2</b> for $\frac{45.4[0]-40}{40} [\times 100]$ or $\frac{45.4[0]}{40} \times 100$ or <b>M1</b> for $\frac{45.4[0]}{40} [\times 100]$
(a)(ii)	35.5[0]	3	<b>M2</b> for $42.6[0] \div \left(1 + \frac{20}{100}\right)$ or better or <b>M1</b> for recognising 42.6[0] as 120[%]
1(b)	150 cao	2	<b>M1</b> for $\frac{500 \times 2 \times 15}{100}$ oe
(c)(i)	7800 cao	3	<b>B2</b> for 7790 or 7785 to 7786 or <b>M1</b> for $21000 \times \left(1 - \frac{18}{100}\right)^5$ oe isw If 0 or 1 scored, <b>SC1</b> for <i>their</i> 7785... seen and rounded correctly to nearest 100
(c)(ii)	9[.00...]	3	<b>M2</b> for $\sqrt[12]{\frac{42190}{15000}}$ or better or <b>M1</b> for $15000 \left(1 + \frac{x}{100}\right)^{12} = [42190]$

Question 62

(a)(i)	85	1	
(a)(ii)	455	2	<b>M1</b> for $260 \div 20 \times 35$ oe
(a)(iii)	61	3	<b>B2</b> for 61.5... seen or <b>M1</b> for $2000 \div 650$ soi or for $\frac{x}{2000} = \frac{20}{650}$ oe or other attempt at scaling up with 650 or for $650 \div 20$ oe
(b)(i)	40	3	<b>M2</b> for $\frac{1.89 - 1.35}{1.35} [\times 100]$ oe or $\frac{1.89}{1.35} \times 100$ oe or <b>M1</b> for oe $\frac{1.89}{1.35} [\times 100]$ soi
(b)(ii)	1.75 nfw	3	<b>M2</b> for $1.89 \div \left(\frac{100 + 8}{100}\right)$ or better or <b>M1</b> for 1.89 associated with 108 [%]
1(c)	10.1 or 10.06...	3	<b>M2</b> for $\sqrt[3]{\frac{20.8}{15.6}}$ oe or <b>M1</b> for $15.6 \times k^3 = 20.8$ oe
(d)(i)	14:15	3	<b>B2</b> for correct unsimplified 3 term ratio A: B: C or correct unsimplified two term ratio A : C  or <b>M1</b> for attempt to find common multiple of 4 and 10 or other common value for B  or for $7 \times \frac{4}{10}$ oe or $3 \times \frac{10}{4}$ oe
(d)(ii)	147	3	<b>M2</b> for $\frac{45}{15}(14 + 20 [+15])$ oe or $45 \div 3 \times 4 + (45 \div 3 \times 4) \div 10 \times 7 [+45]$  or <b>M1</b> for $45 \div 3$ oe or $45 \div$ <i>their</i> <b>(d)(i)</b> value for C shown

Question 63

(a)	$\frac{9}{9+7+4} \times 680$	1	
(b)	238 136	3	<b>B2</b> for 238 or 136 or <b>M1</b> for $\frac{7}{9+7+4} \times 680$ oe or $\frac{4}{9+7+4} \times 680$ oe seen
(c)	272	2	<b>M1</b> for $306 \div 1.125$
(d)	1.37	3	<b>M2</b> for $(17.56 - 5 \times 2.69) \div 3$ or <b>M1</b> for $17.56 - 5 \times 2.69$ or <b>B1</b> for 13.45 [cost of apples]
(e)	40.8[0]	3	<b>3FT</b> for $0.3 \times$ <i>their</i> 136 from part (b) or <b>M2</b> for <i>their</i> $136(\frac{1}{2} + \frac{1}{5})$ or better or <b>M1</b> for <i>their</i> $136 \times \frac{1}{2}$ or <i>their</i> $136 \times \frac{1}{5}$ or <b>B1</b> for 68 or 27.2 or $\frac{3}{10}$ or 0.3 seen





Question 64

(a)	18 28	2	<b>B1</b> for each
(b)	$3n + 3$ oe	2	<b>B1</b> for $3n + k$ oe or $cn + 3$ oe $c \neq 0$
(c)	45	2	<b>M1</b> for identifying 7th pattern or <b>M1</b> for <i>their</i> $(3n + 3) = 24$
(d)	$[a = ]\frac{3}{2}$ oe $[b = ]\frac{13}{3}$ oe	6	<p><b>M1</b> for any correct substitution e.g. <math>\frac{1}{6}(2)^3 + 2^2a + 2b</math></p> <p><b>A1</b> for one of e.g.  <math>\frac{1}{6} + a + b = 6</math> oe  <math>\frac{8}{6} + 4a + 2b = 16</math> oe  <math>\frac{27}{6} + 9a + 3b = 31</math> oe  <math>\frac{64}{6} + 16a + 4b = 52</math> oe</p> <p><b>A1</b> for another of the above  <b>M1</b> for correctly eliminating one variable from <i>their</i> equations</p> <p><b>A1</b> for <math>a = \frac{3}{2}</math>  <b>A1</b> for <math>b = \frac{13}{3}</math> oe</p>

Question 65

(a)(i)	1200	2	<b>M1</b> for $1962 \div 1.635$
(a)(ii)	1667.7[0] final answer	2	<b>M1</b> for $1962 \times (1 - \frac{15}{100})$ oe or <b>B1</b> for 294.3[0] If 0 scored, <b>SC1</b> for answer 1020
a)(iii)	275	2	<b>M1</b> for $220 \div \textit{their} (5 - 1)$ soi
lb(i)	165	3	<b>M2</b> for $\frac{9752 - 3680}{3680} [\times 100]$ oe or $\frac{9752}{3680} \times 100$ oe or <b>M1</b> for $\frac{9752}{3680}$ or $9752 - 3680$
b(ii)	51200	3	<b>M2</b> for $\frac{74240}{100 + 45} [\times 100]$ oe or <b>M1</b> for 74 240 associated with 145[%] oe

Question 66

(a)	0.6	1	
(b)	50.7	3	<b>M2</b> for $1.2 \times 19 + \frac{1}{2} (19 + 12) \times 1.8$ oe or <b>M1</b> for method for finding any relevant area
(c)	17.9	3	<b>M2</b> for <i>their</i> $50.7 - 1.2 \times 19 [- 10]$ oe or <b>M1</b> for $1.2 \times 19$ oe seen isw

Question 67

(a)(i)	2.25 final answer	2	M1 for $\frac{3}{5+3}$ or $\frac{6}{5+3}$ oe
(a)(ii)	37.5	1	FT <i>their</i> $\frac{(a)(i)}{6} \times 100$
a)(iii)	5.5[0] or 5.499 to 5.500	2	M1 for $6 \div 1.091$
1(b)	21	3	M2 for $15 \times \sqrt{\frac{352.8}{15 \times 12}}$ oe or SC2 for answer 16.8 or M1 for $\sqrt{\frac{352.8}{15 \times 12}}$ or $\sqrt{\frac{15 \times 12}{352.8}}$ seen or M1 for a correct implicit statement for the length
1(c)	525	3	M2 for $\frac{483}{100-8} [\times 100]$ oe or M1 for 483 associated with 92 [%]

Question 68

(a)	473	2	M1 for $645 \div (11 + 4)$
(b)	212.5	2	M1 for $50 \times 4.25$
(c)	31.5 or 31.45 to 31.46	3	M2 for $54 \div 1\frac{43}{60}$ oe or M1 for time = 1h 43min or 103 [mins] or $54 \div$ <i>their</i> time
(d)	875	1	
(e)	10.4 or 10.38 to 10.39	1	
f)(i)	30 [ $\times$ ] 70 and 2100	1	
f)(ii)	both numbers rounded up oe	1	

Question 69

(a)(i)	6h 27 mins	2	<b>B1</b> for answer .....h 27 mins
(a)(ii)	150 km/h	3	<b>M2</b> for $\frac{90}{36} \times 60$ or <b>M1</b> for $\frac{90}{\text{their time}}$ or <b>B1</b> for 36 [mins] seen
(a)(iii)	780	4	<b>M3</b> for $\left(90 \times \frac{35}{3600}\right) \times 1000 - 95$ oe or <b>M2</b> for $\left(90 \times \frac{35}{3600}\right) \times 1000$ oe or <b>B1</b> for figs 875 or <b>M1</b> for $90 \times \frac{35}{3600}$ seen or for $90 \times \frac{1000}{3600}$ oe If 0 scored, <b>SC1</b> for <i>their</i> distance ( $> 95$ ) – 95
(b)(i)	7 : 5	1	
(b)(ii)	66.7 or 66.66 to 66.67	3	<b>M2</b> for $\frac{140 - 84}{84} [\times 100]$ oe or for $\frac{140}{84} \times 100$ oe or <b>M1</b> for $\frac{140}{84}$ oe
(b)(iii)	24 576	5	<b>M4</b> for complete method, $40 \times 60 + 0.7 \times 220 \times 84 + 0.3 \times 220 \times 140$ oe OR <b>B1</b> for 40 [children] <b>M1</b> for $0.7 \times 220 \times 84$ oe <b>M1</b> for $0.3 \times 220 \times 140$ oe <b>B1</b> for 2400 or 12936 or 9240 nfw
(c)	$3.5 \times 10^5$ nfw	3	<b>M2</b> for $3.08 \times 10^5 \div \left(\frac{100 - 12}{100}\right)$ oe or <b>M1</b> for $3.08 [\times 10^5]$ associated with (100–12)%

Question 70

9(a)(i)	3, -1	2	B1 for each
9(a)(ii)	$23 - 4n$ oe final answer	2	M1 for $k - 4n$ or $23 - jn$ ( $j \neq 0$ )
9(a)(iii)	22	2	M1 for <i>their</i> (a)(ii) = -65
10(b)	23	2	B1 for 37 or 60

Question 71

(a)	16.5 or 16.49...	3	M2 for $\frac{1.13 - 0.97}{0.97} [\times 100]$ oe or $\frac{1.13}{0.97} \times 100$ oe or M1 for $\frac{1.13}{0.97}$ oe
b(i)	35	2	M1 for $60 \div (5 + 7)$
b(ii)	140	1	
(c)	\$1.26 final answer	3	B2 for 1.259... or 1.26 but not as final answer or M1 for $2.25 \div 0.9416$  If 0 scored, SC1 for $1.13 \times 0.9416$
(d)	15[.0...]	3	M2 for $\sqrt[21]{\frac{58000}{1763000}}$ oe or M1 for $58000 = 1763000 (k)^{21}$
(e)	1239.75	2	B1 for $43 + 0.5$ or $28 + 0.5$ oe seen

Question 72

(a)	40 54 26 34	4	B1 for each
(b)	$n^2 + 3n$ or $n(n + 3)$ oe	2	B1 for a quadratic expression or for 2nd common difference 2 (at least 2 shown) or for 2 correct equations seen  or for subtracting $n^2$
(c)	100	2	M1 for <i>their</i> (b) = 10300 seen
(d)	$[a = ] \frac{1}{2}$ oe and $[b = ] \frac{5}{2}$ oe	2	B1 for each or M1 for one correct equation or for 2nd difference = 1 soi (at least 2 shown)

Question 73

(a)	6 nfw	3	M2 for $\frac{2.65 - 2.50}{2.50} [\times 100]$ or for $\frac{2.65}{2.50} \times 100$ or M1 for $\frac{2.65}{2.50}$
(b)	552.5[0]	3	B2 for 52.5[0] or M2 for $500 \times \frac{1.5}{100} \times 7 + 500$ oe or M1 for $500 \times \frac{1.5}{100} [\times 7]$ oe
(c)	37.4 or 37.36...	2	M1 for $\left(1 + \frac{1.6}{100}\right)^{20}$ oe soi 1.37...
(d)	4[.00...]	3	M2 for $\sqrt[22]{\frac{2607}{6400}}$ or M1 for $6400 \times x^{22} = 2607$ oe or better

Question 74



(a)(i)	1254	2	<b>M1</b> for $342 \div 3$
(a)(ii)	27.3 or 27.27...	1	
1(b)	867	2	<b>M1</b> for $1020 \times \frac{15}{100}$ oe or $1020 \times \left(1 - \frac{15}{100}\right)$ oe
1(c)	4.5[0]	3	<b>M2</b> for $\frac{79.5[0]}{100+6} [\times 6]$ oe or $\frac{79.5[0]}{100+6} \times 100$ oe or <b>M1</b> for 79.5[0] associated with 106[%]
1(d)	22.6 or 22.58... nfw	4	<b>M1</b> for $\frac{45}{20}$ or better and <b>M2</b> for $\frac{60+45}{\text{their } 2\text{h } 24\text{min} + \text{their } \frac{45}{20}}$ or <b>M1</b> for $\text{their } \frac{45}{20} + \text{their } 2\text{h } 24\text{min}$
1(e)	91.6[0] to 91.61	3	<b>M2</b> for $480 \times \left(1 + \frac{2.1}{100}\right)^4 - 430$ oe OR <b>M1</b> for $480 \times \left(1 + \frac{2.1}{100}\right)^4$ oe <b>A1</b> for 522, 521.6[0] to 521.61
1(f)	112.8125	2	<b>B1</b> for 2.5 or 9.5 seen



(a)(i)	5 : 6	1	
(a)(ii)	$2.0736[0] \times 10^5$ final answer	3	<b>B2</b> for 207360 oe or <b>M1</b> for $16 \times 18 \times 720$
(b)(i)	26780	2	<b>M1</b> for $18540 \div 9$ soi
(b)(ii)	1.36	2	<b>M1</b> for $0.85 \times 1.6$ oe or <b>B1</b> for 0.51 or 51
1(c)	66.7 or 66.66 to 66.67	5	<p><b>M4</b> for <math>\frac{(2.3 - 1.5 \times 0.92)}{1.5 \times 0.92} [\times 100]</math> oe or  <math>\frac{2.3 \times 100}{1.5 \times 0.92}</math> oe</p> <p><b>OR</b>  <u>Working in euros</u>  <b>B2</b> for [€]1.38  or <b>M1</b> for <math>1.5[0] \times 0.92</math>  <b>M2dep on B2 or M1</b> for  <math>\frac{2.3 - \text{their } 1.38}{\text{their } 1.38} [\times 100]</math> oe  or <math>\frac{2.3 - \text{their } 1.38}{\text{their } 1.38} \times 100</math> oe  or <b>M1</b> for <math>2.3 - \text{their } 1.38</math> or <math>\frac{2.3}{\text{their } 1.38}</math></p> <p><b>OR</b>  <u>Working in dollars</u>  <b>B2</b> for [\$]2.50  or <b>M1</b> for or <math>2.3[0] \div 0.92</math>  <b>M2dep on B2 or M1</b> for  <math>\frac{\text{their } 2.5 - 1.5}{1.5} [\times 100]</math> oe or <math>\frac{\text{their } 2.5}{1.5} \times 100</math>  or <b>M1</b> for <math>\text{their } 2.5 - 1.5</math> or <math>\frac{\text{their } 2.5}{1.5}</math></p>
(d)	219 000 or 218814[.3....] rounded to 4 sf or more	3	<p><b>B2</b> for 414000 or 414414[.3....] rounded to 4 sf or more</p> <p>or <b>M2</b> for <math>195600 \times \left(1 + \frac{8.7}{100}\right)^9</math> [- 195600]</p> <p>or <b>M1</b> for <math>195600 \times \left(1 + \frac{8.7}{100}\right)^k</math> or better  (<math>k &gt; 1</math> and an integer)</p>

a)	171 or 171.0...	3	<p><b>M2</b> for <math>\frac{7.6}{160} \times 60 \times 60</math> oe</p> <p>or <b>M1</b> for <math>\frac{7.6}{160}</math> or <math>\frac{7.6}{2\frac{2}{3}}</math> or <math>\frac{7.6}{2 \text{ min } 40 \text{ sec}}</math></p> <p>If 0 scored, <b>SC1</b> for answer 189 or 188.6 to 188.7</p>
b)(i)	77 [min] 20 [s]	4	<p><b>M3</b> for <math>\frac{32}{12} \times 29</math> oe</p> <p>or <b>B2</b> for 4640 or 1.29 or 1.288 to 1.289, <math>\frac{58}{45}</math></p> <p>oe</p> <p>or 32 laps or 29 laps</p> <p>or <b>M2</b> for <math>2^5 \times 5 \times 29</math> oe</p> <p>or <b>M1</b> for</p> <p>2 m 40 sec <math>\div</math> (2 m 40 sec – 2 m 25 sec) soi</p> <p>for 2 m 25 sec <math>\div</math> (2 m 40 sec – 2 m 25 sec) soi</p> <p>or for an attempt to find LCM or 23 200 seen</p> <p>or correctly find prime factors of 145 or 160</p> <p>or for <math>\frac{7.6}{145}</math> or <math>\frac{7.6}{2\frac{5}{12}}</math> or <math>\frac{7.6}{2 \text{ min } 25 \text{ sec}}</math> oe,</p> <p>provided SC1 not earned in part (a)</p>
b)(ii)	220.4	2	<p><b>M1</b> for <i>their</i> (b)(i) <math>\div</math> 2 min 40 sec [<math>\times</math> 7.6] oe</p> <p>or <i>their</i> (a) <math>\times</math> <i>their</i> (b)(i) <math>\div</math> 60 oe</p>

(a)	[Ali] 2700 [Mo] 2100	3	<b>B2</b> for one correct or for correct values reversed or <b>M1</b> for $600 \div (9 - 7)$ or for any equation that would lead to an answer of 300, 2700 or 2100, or 4800 (for the total)
(b)	11	3	<b>M2</b> for $\frac{220 - 195.8}{220} [\times 100]$ or for $[100 - ] \frac{195.8}{220} \times 100$ or <b>M1</b> for $220 - 195.8$ or for $\frac{195.8}{220}$ or a correct implicit equation for percentage reduction or for $\frac{195.8 - 220}{220}$
(c)	84	3	<b>M2</b> for $\frac{63}{1 - \frac{25}{100}}$ oe or <b>M1</b> for associating 63 with $(100 - 25)\%$ or a correct implicit equation for the original price.
Question 78			
3(a)	662.45	2	<b>M1</b> for $600 \times \left(1 + \frac{2}{100}\right)^5$ oe
(b)(i)	800	2	<b>M1</b> for $x \left(1 + \frac{5}{100}\right)^2 = 882$ oe or <b>SC1</b> for answer 82
b)(ii)	5 nfww	2	<b>M1</b> for trial with $882 \times \left(1 + \frac{5}{100}\right)^n$ with $n > 1$

Question 79

0(a)	$-7$ $13 - 4n$ oe  $36$ $(n + 1)^2$ oe  $125$ $n^3$ oe  $128$ $2^{n+2}$ oe	<b>11</b> <b>B1</b> <b>B2</b> or <b>B1</b> for $13 - kn$ ( $k \neq 0$ ) or for $k - 4n$  <b>B1</b> <b>B2</b> or <b>B1</b> for any quadratic  <b>B1</b> <b>B1</b>  <b>B1</b> <b>B2</b> or <b>B1</b> for $2^k$ oe
0(b)	$\dots, \dots, 6, 10, 16$  $\dots, 3, 4, 7, \dots$  $2, \dots, 1, 0, \dots$	<b>3</b> <b>B1</b> for each correct row
(c)(i)	$\frac{q}{p + q}$	<b>1</b>
(c)(ii)	$\frac{18}{29}$	<b>1</b>

(a)(i)	295	2	<b>M1</b> for $[87 +] 4 \times 52$ oe
(a)(ii)	29.5 or 29.49...	1	<b>FT</b> $\frac{87}{\text{their(a)(i)}} \times 100$
1(b)	11	2	<b>M1</b> for $18 \times 4$ $[\pm 61]$ oe
1(c)	4160 cao nfw	2	<b>M1</b> for $64 \div 0.0154$ or <b>B1</b> for rounding <i>their</i> answer to nearest 10
1(d)	2.4[0] nfw	2	<b>M1</b> for $\left(1 + \frac{12.5}{100}\right)x = 2.7[0]$ oe
1(e)	53 : 36	3	<b>M2</b> for $265 : 180$ oe or for answer 36 : 53 or 53 min: 36 min or <b>M1</b> for 4h 25 [mins] or 265 [mins] seen
1(f)	6[.00] or 5.999...	3	<b>M2</b> for $\sqrt[5]{\frac{736}{550}}$ or <b>M1</b> for $736 = 550 \times (x)^5$
Question 81			
(a)	187	2	<b>M1</b> for $220 \times \left(1 - \frac{15}{100}\right)$ oe or <b>B1</b> for 33 seen
(b)	19.8	3	<b>M2</b> for $29.7 \times \sqrt[3]{\frac{0.4}{1.35}}$ oe or <b>M1</b> for $\sqrt[3]{\frac{0.4}{1.35}}$ or $\sqrt[3]{\frac{1.35}{0.4}}$ oe seen or for $\frac{29.7^3}{x^3} = \frac{1.35}{0.4}$ oe
(c)	12.4 or 12.44...	3	<b>M1</b> for $90 \times 75 \times h = 7 \times \text{figs } 12$ <b>B1</b> for $1000 \text{ cm}^3 = 1 \text{ litre}$ soi

Question 82

(i)	$6 - 2n$ oe final answer	2	<b>B1</b> for answer $6 - kn$ ( $k \neq 0$ ) oe or answer $j - 2n$ oe or for correct expression shown in working and then spoilt
(ii)	$2n^2 - 1$ oe final answer	2	<b>B1</b> for 2nd diff = 4 or a quadratic expression or for correct expression shown in working and then spoilt

Question 83

l(a)	1260	2	<b>M1</b> for $15 \times 54 + 25 \times 18$
l(b)	38 800	2	<b>M1</b> for $37054 \div \left(1 - \frac{4.5}{100}\right)$ oe
(c)(i)	15 : 12 : 28	2	<b>M1</b> for correct attempt to find a common multiple for the women oe
(c)(ii)	216	3	<b>M2</b> for $224 \div \text{their } 28 \times \text{their } (15 + 12)$ or <b>M1</b> for $224 \div \text{their } 28$
l(d)	55.25	2	<b>M1</b> for $8 + 0.5$ or $6 + 0.5$ seen
l(e)	156 or 156.3...	2	<b>M1</b> for $\left(1 + \frac{1.5}{100}\right)^{30}$

Question 84

l(a)(i)	14, 10	2	M1 for $24 \div (7 + 5)$
(a)(ii)	$\frac{3}{350}$	2	B1 for correct fraction not in lowest terms
(a)(iii)	120	1	
l(b)(i)	10.2[0]	2	M1 for $\frac{15}{100} \times 12$ oe or better
(b)(ii)	45	2	M1 for $\frac{38.25}{1 - \frac{15}{100}}$ oe
l(c)(i)	85	2	M1 for $\frac{500 \times 1.7 \times 10}{100}$ oe
(c)(ii)	203 or 202.5 to 202.6	2	M1 for $200 \times \left(1 + \frac{0.0035}{100}\right)^{365}$
(c)(iii)	1.9	3	M2 for $\sqrt[6]{\frac{559.78}{500}}$ or M1 for $500 \left(1 + \frac{r}{100}\right)^6 = 559.78$

(a)(i)	7680	2	<b>M1</b> for $0.24 \times 32\,000$ oe
(a)(ii)	34 240	2	<b>M1</b> for $32\,000 \times \frac{100+7}{100}$ oe
1(b)	5306.04	2	<b>M1</b> for $5000 \times \left(1 + \frac{2}{100}\right)^3$ oe
1(c)	26.7 or 26.66... to 26.67	4	<b>B3</b> for 96 or $\frac{96}{360}$ oe OR <b>M3</b> for $\left(1 - \frac{1}{5}\right) \times \left(1 - \frac{2}{3}\right) \times 100$ oe or <b>M2</b> for $\left(1 - \frac{1}{5}\right)$ and $\left(1 - \frac{2}{3}\right)$ oe OR <b>M1</b> for $360 \div 5$ [ $\times 4$ ] oe <b>M1</b> for <i>their</i> $288 \div 3$ [ $\times 2$ ]
1(d)	33 500	2	<b>M1</b> for $36\,515 \div \frac{100+9}{100}$ oe
1(e)	6525	4	<b>M3</b> for $\left(\frac{65}{45} - \frac{63}{45}\right)[A] = 290$ oe or <b>M2</b> for $\left(\frac{13}{9} - \frac{7}{5}\right)[A] = 290$ oe or <b>M1</b> for correct attempt to convert to a common ratio value for Arjun or for $\frac{13}{9} - \frac{7}{5}$ oe

Question 86

A	24	<b>B1</b>	
	$5n - 1$ oe	<b>B2</b>	<b>B1</b> for $5n - k$ or $jn - 1$ oe $j \neq 0$
B	127	<b>B1</b>	
	$n^3 + 2$ oe	<b>B2</b>	<b>B1</b> for $n^3$ oe
C	256	<b>B1</b>	
	$4^{(n-1)}$ oe	<b>B2</b>	<b>B1</b> for $4^k$ oe

Question 87



(a)(i)	$5.101[00\dots] \times 10^8$ final answer	1	
(a)(ii)	361 150 800 oe	2	<b>FT</b> <i>their (a)(i)</i> <b>M1</b> for $\frac{70.8}{100} \times 510\,100\,000$ or for $\frac{70.8}{100} \times$ <i>their a(i)</i>
(b)(i)	6070 oe	1	
(b)(ii)	32 000 oe	2	<b>B1</b> for figs 32
(b)(iii)	6.68 or 6.677 ...	2	<b>M1</b> for $\frac{6.41 \times 10^5}{9.6[0] \times 10^6} [\times 100]$ oe
(b)(iv)	1250 or 1248 to 1249 oe	2	<b>B1</b> for figs 125 or figs 1248 to figs 1249
(c)(i)	25.1 or 25.08...	2	<b>M1</b> for $\frac{7.53[\times 10^9] - 6.02[\times 10^9]}{6.02[\times 10^9]}$ oe or $\frac{7.53[\times 10^9]}{6.02[\times 10^9]} \times 100$
(c)(ii)	1.33 or 1.325...	3	<b>M2</b> for $\sqrt[17]{\frac{7.53[\times 10^9]}{6.02[\times 10^9]}}$ or $\sqrt[17]{1 + \frac{\text{their (c)(i)}}{100}}$ or <b>M1</b> for $6.02[\times 10^9] \times p^{17} = 7.53[\times 10^9]$ or $p^{17} = 1 + \frac{\text{their (c)(i)}}{100}$

(a)	A : $-3$ $17 - 4n$ oe	3	<b>B1</b> for $-3$ <b>B2</b> for $17 - 4n$ oe or <b>B1</b> for $k - 4n$ oe or $17 - pn$ oe, $p \neq 0$
	B : $124$ $n^3 - 1$ oe	3	<b>B1</b> for $124$ <b>B2</b> for $n^3 - 1$ oe or <b>B1</b> for any cubic
	C : $\frac{11}{128}$ $\frac{n+6}{2^{n+2}}$ oe	4	<b>B1</b> for $\frac{11}{128}$ <b>B3</b> for $\frac{n+6}{2^{n+2}}$ oe or <b>B2</b> for $2^{n+2}$ oe seen or <b>B1</b> for $2^k$ oe or $n + 6$ seen
(b)	$\frac{p+1}{2q}$ oe	2	<b>B1</b> for $p + 1$ or $2q$ oe

### Question 88

(a)(i)	2210 or 2208 or 2208.2, or 2208.16...	2	<b>M1</b> for $2000 \times \left(1 + \frac{2}{100}\right)^5$ oe
(a)(ii)	10.4 or 10.5 or 10.40 to 10.41	2	<b>M1</b> for $\frac{\text{their (a)(i)} - 2000}{2000} [\times 100]$ or $\frac{\text{their (a)(i)}}{2000} \times 100$ or $\left(1 + \frac{2}{100}\right)^5 - 1$ or $\left(1 + \frac{2}{100}\right)^5 \times 100$ oe
(a)(iii)	12	3	<b>B2</b> for 11.3 or 11.26 to 11.27 <b>OR</b> <b>M2</b> for $[2000 \times] \left(1 + \frac{2}{100}\right)^{11}$ oe or $[2000 \times] \left(1 + \frac{2}{100}\right)^{12}$ oe seen or <b>M1</b> for $[2000 \times] \left(1 + \frac{2}{100}\right)^n$ oe, $n > 5$ oe or for $2000 \times \left(1 + \frac{2}{100}\right)^n =$ or $>$ or $\geq 2500$ oe

(b)	490 cao	3	<b>M2</b> for $p \times \left(1 - \frac{4}{100}\right)^{16} = 255$ oe soi by 490.0... or <b>M1</b> for $p \times \left(1 - \frac{4}{100}\right)^n = 255$ oe, $n > 1$ oe
-----	---------	---	---

Question 89

(a)	9080 cao	3	<b>B2</b> for 9078 to 9081... or <b>M1</b> for $813 \times \text{their } 11\text{h } 10\text{min}$
(b)(i)	654 or 653.5...	2	<b>M1</b> for $10260 \div 15$ h 42 min oe
(b)(ii)(a)	21.8 or 21.82 to 21.83	1	
(b)(ii)(b)	4.58 or 4.59 cao	2	<b>M1</b> for $470 \div (10260 \div 100)$ oe or $100 \div \text{their } \mathbf{(b)(ii)(a)}$
(c)	12.97	1	

Question 90

(a)	25 36 10 15 35 51	2	<b>B1</b> for 3, 4 or 5 correct
(b)	$n^2$	1	
(c)(i)	92	1	
(c)(ii)	$\frac{1}{2}(n^2 - n)$ oe	2	<b>M1</b> for $\frac{1}{2}(3n^2 - n) - n^2$ oe or for final quadratic answer with $\frac{1}{2}n^2$ oe or $-\frac{1}{2}n^2$ oe but not both

(d)	$a = \frac{1}{2}, b = \frac{1}{2}$	5	<p><b>B2</b> for 2 correct equations eg <math>a + b = 1, 8a + 4b = 6</math> or <b>B1</b> for 1 correct equation</p> <p><b>B2</b> for one correct value or <b>M1</b> (dep on at least B1) for correctly eliminating one variable from two linear equations in a and b</p> <p>OR</p> <p><b>B2</b> for <math>a = \frac{1}{2}</math> or <b>B1</b> for <math>6a = 3</math> or for 3<sup>rd</sup> difference = 3</p> <p><b>B2</b> for <math>b = \frac{1}{2}</math> or <b>M1</b> for substituting <i>their</i> a into a correct equation of first differences</p>
-----	------------------------------------	---	--

Question 91

(a)	1 : 5 : 12	2	<b>M1</b> for 2 : 10 : 24 or 7 : 35 : 84 or $\frac{1}{18} : \frac{5}{18} : \frac{12}{18}$
(b)(i)	266 and 95	3	<b>B2</b> for 266 or 95 or 266 and 95 reversed or <b>M1</b> for $\frac{114}{6}$
(b)(ii)	15	2	<b>M1</b> for $\frac{114 - 96.9}{114} [\times 100]$ oe or $\frac{96.9}{114} \times 100$
(c)(i)	2h 50min	1	
(c)(ii)	636	2	<b>M1</b> for $1802 \div \text{their } 2\text{h } 50\text{min}$

Question 92

(a)	245	1	
(b)	8	2	<b>M1</b> for $40 + 26.5x = 252$ oe or <b>B1</b> for 212 seen
(c)	6	2	<b>M1</b> for $(224 - 2 \times 48) \div 32$ oe or $2 \times 48 + 32(x - 2) = 224$ soi
(d)	35 : 36 : 32 final answer	2	<b>B1</b> for <i>their</i> (a) : 252 : 224 or equivalent ratio

Question 93

(a)(i)	-5	1	
(a)(ii)	Subtract 4 oe	1	
(a)(iii)	$15 - 4n$ oe final answer	2	<b>B1</b> for $k - 4n$ or $15 - jn$ $j \neq 0$
(b)(i)	$\frac{1}{21}$ or equivalent fraction	2	<b>B1</b> for $\frac{12}{7}$ and $\frac{10}{6}$
(b)(ii)	$n = \frac{3}{5}$ oe or $2n \geq n + 1$ but $3 < 4$ .	<b>M2</b>	<b>M1</b> for $\frac{3}{4} = \frac{2n}{n+1}$ oe or <b>M1</b> for $2n > n + 1$ but $3 < 4$
	No, $n$ is not an integer oe or No, $\frac{3}{4}$ is less than 1, oe	<b>A1</b>	

Question 94

(a)(i)	120	2	<b>M1</b> for $6 \div (21 - 19)$ oe soi or for $\frac{2x}{40} = 6$
(a)(ii)(a)	34	2	<b>M1</b> for $40 - \frac{15}{100} \times 40$ oe or better or <b>B1</b> for 6
(a)(ii)(b)	35	2	<b>M1</b> for $\left(1 - \frac{15}{100}\right) \times p = 29.75$ or better
(b)(ii)	2019 nfwf	3	<b>M2</b> for one correct trial of $n = 8$ or $n = 9$ either to find a salary or, if working with $1.02^n$ and $47\,500 \div 40\,100 [= 1.1845]$ , to find a value of $1.02^n$ or <b>B2</b> for final answer 9 or 4 nfwf or <b>M1</b> for <i>their</i> $44\,274 \times \left(1 + \frac{2}{100}\right)^n = 47\,500$ oe or $40\,100 \times \left(1 + \frac{2}{100}\right)^n = 47\,500$ oe or for at least one trial giving a value greater than <i>their</i> 44 274
(c)	2.9 [increase]	2	<b>M1</b> for $\left(1 + \frac{5}{100}\right) \times \left(1 - \frac{2}{100}\right)$ oe implied by 1.029 or 102.9[%]

Question 95

125	$n^3$ oe final ans	<b>B2</b>	<b>B1</b> for 125 <b>B1</b> for $n^3$
29	$6n - 1$ oe final ans	<b>B3</b>	<b>B1</b> for 29 <b>B2</b> for $6n - 1$ oe or <b>B1</b> for $6n + k$ or $an - 1$ ( $a \neq 0$ )
	$2^{n-3}$ oe final ans	<b>B2</b>	<b>B1</b> for $2^{n[+k]}$ oe
25	$6n - 1 - 2^{n-3}$ oe final ans	<b>B2</b>	<b>FT</b> <i>their</i> 29 - 4 and <i>their</i> $6n - 1 - \text{their } 2^{n-3}$ <b>B1FT</b> for each
OR			<b>OR</b>
25.25	$-\frac{1}{24}n^3 + \frac{1}{8}n^2 + \frac{17}{3}n - 1$ oe final ans		<b>B1</b> for each


Question 96

(a)(i)	11.61 final answer	<b>2</b>	<b>M1</b> for $13.5[0] \times \left(1 - \frac{14}{100}\right)$ oe or <b>B1</b> for 1.89
(a)(ii)	197.37 final answer	<b>2</b>	<b>FT</b> $17 \times \text{their (a)(i)}$ exact or correct to nearest cent <b>M1</b> for $42.5 \div 2.5$
(b)(i)	53.3 or 53.33...	<b>1</b>	
(b)(ii)	7.5	<b>2</b>	<b>M1</b> for $22.5 \div (2 + 8 + 5)$ oe soi
(c)	$20.55 \times 2.45$ oe	<b>M2</b>	<b>M1</b> for $20.5 + 0.05$ oe seen or $2.4 + 0.05$ oe seen If 0 scored, <b>SC1</b> here for $20.45 \times 2.35$ oe
	3 nfw	<b>A2</b>	<b>M1</b> for <i>their</i> area $\div 10 \div 2.5$ oe

Question 96

(a)(i)	438 cao	2	M1 for $\frac{500}{1.142}$
(a)(ii)	14.95	2	M1 for $[329 - ] 275 \times 1.142$ oe
(b)	14	2	M1 for $5.25 \times \frac{8}{3}$ oe
(c)	1.7[0] or 1.699...	3	M2 for $\sqrt[5]{\frac{6669}{6130}}$ or M1 for $6669 = 6130 (k)^5$

Question 97

(a)	0.18 or $\frac{9}{50}$	1	
(b)	$1944 \times \frac{1000}{3600 \times 3600}$	M1	
	$9 \div 0.15 = 60$	M1	
(c)		1	ruled line to axis with point of contact at 240
(d)	6.9375	4	M2 for area = $\frac{1}{2} \times (130 + 240) \times 9$ oe or M1 for one correct partial area M1dep for their total area $\div 240$

Question 98


(a)(i)	28	2	M1 for $32 \times 0.50 + 30 \times 0.40$
(a)(ii)	$98 - 100 \times 0.5$ $48 \div 0.4 = 120$ [minutes] = 2 [hrs]	M3	M1 for $100 \times 0.50 + x \times 0.40 = 98$ M1 for $50 + 0.4x = 98$ or $0.4x = 48$ M1 for $x = \frac{48}{0.4}$ $x = 120$ [min] = 2 [hr]  OR  M1 for $100 \times 0.5 [= 50]$ M1 for $98 - 50 [= 48]$ M1 for $48 \div 0.4 = 120$ [min] = 2 [hr]

(b)	2925 1170 4095	3	<b>B2</b> for one correct answer or <b>M1</b> for $8190 \div (5 + 2 + 7)$
(c)	58	2	<b>M1</b> for $\left(1 + \frac{45}{100}\right)^k = 84.1$ oe

Question 99


(a)(i)	105	2	<b>M1</b> for $\frac{3}{100} \times 500 [\times 7]$
(a)(ii)	115 or 114.9...	3	<b>M2</b> for $500 \times \left(1 + \frac{3}{100}\right)^7 [-500]$ or <b>M1</b> for $500 \times \left(1 + \frac{3}{100}\right)^k$ , $k$ integer $\geq 2$
(b)	8600	3	<b>M2</b> for $\frac{6269.4}{\left(1 - \frac{10}{100}\right)^3}$ oe or <b>M1</b> for $C \times \left(1 - \frac{10}{100}\right)^3 = 6269.4$ oe

Question 100





(a)(i)	$\frac{450}{8+7+3} \times 8$ oe	2	<b>M1</b> for $\frac{450}{8+7+3}$
(a)(ii)	75	1	
(a)(iii)	56	2	<b>M1</b> for $\frac{32}{100} \times (450 - 200 - \text{their } 75)$ oe or $\frac{32}{100} \times \frac{450}{8+7+3} \times 7$ oe If 0 scored, <b>SC1</b> for answer 231
(a)(iv)	59 000 nfw	3	<b>B2</b> for 58 600 to 58 800 or <b>B1</b> for 293 to 294 or <b>M1</b> for $\frac{\text{figs } 485 \times 200}{165}$ oe If 0 scored, <b>SC1</b> for <i>their</i> more accurate answer seen and rounded to the nearest 1000
(b)(i)	3 075 000	1	
(b)(ii)	$3.075 \times 10^6$	1	<b>FT</b> <i>their</i> (b)(i)
(c)	32.5	2	<b>M1</b> for $x \times \left(1 + \frac{16}{100}\right) = 37.7$ or better
(d)	2460 or 2458. ...	2	<b>M1</b> for $1800 \left(1 + \frac{2.1}{100}\right)^{15}$ oe




Question 101

(a)(i)	71.4 or 71.42 to 71.43	1	
(a)(ii)	97 [min] 25 [s]	3	<p><b>B2</b> for 13 min 55 sec seen or 97.4 or 97.41 to 97.42 seen or 5845 seen</p> <p>OR</p> <p><b>M2</b> for <math>55.66... \div 4 \times 7</math> oe or <math>3340 \div 4 \times 7</math> oe</p> <p>or for <math>7/4 \times 55 + 7/4 \times 40</math> oe</p> <p>or <b>M1</b> for 55 min 40 sec <math>\div 4</math> oe</p> <p>or <b>M1</b> for <b>total time</b> <math>\div 16</math> soi</p>
(b)(i)	60.8[0]	2	<p><b>M1</b> for <math>47.5 \times \left(1 + \frac{28}{100}\right)</math> oe</p> <p>or <b>B1</b> for 13.3[0]</p>
(b)(ii)	71.25	3	<p><b>B2</b> for 118.75</p> <p>Or <b>M2</b> for <math>47.50 \div \left(1 - \frac{60}{100}\right) - 47.50</math></p> <p>or <b>M1</b> for <math>x \times \left(1 - \frac{60}{100}\right) = 47.50</math> oe or better</p>
(c)	15 380	4	<p><b>M3</b> for <math>(1\ 120\ 000 - 5000) \div (70 + 2.5)</math> oe</p> <p>or</p> <p><b>B2</b> for answer figs 15 379 to figs 15 380</p> <p>or</p> <p><b>M2</b> for <math>(1\ 120\ 000 \pm 5000) \div (70 \pm 2.5)</math> oe</p> <p>or</p> <p><b>M1</b> for one of figs 675, 725, 1115, 1125 seen</p>
(d)	1.8[0] or 1.801 to 1.802 [million] nfw	2	<p><b>M1</b> for figs <math>16 \times \left(1 + \frac{2.4}{100}\right)^5</math> oe</p>

Question 102

(a)	184	2	<p><b>M1</b> for <math>\frac{852-300}{300}[\times 100]</math> oe</p> <p>or for <math>\frac{852}{300}\times 100[-100]</math> oe</p>
(b)	497	2	<p><b>M1</b> for <math>\frac{852}{5+7}\times k</math> oe where <math>k = 1, 5</math> or <math>7</math></p>
(c)(i)	Forty thousand six hundred	1	
(c)(ii)	$4.06\times 10^4$	1	
1(d)	435	3	<p><b>M2</b> for <math>3000\times\left(1-\frac{48}{100}-\frac{3}{8}\right)</math> oe</p> <p>or <b>B2</b> for 2565, or 1440 <b>and</b> 1125 or 1875 <b>and</b> 1440 or 1560 <b>and</b> 1125</p> <p>or <b>M1</b> for <math>1-\frac{48}{100}-\frac{3}{8}</math> or <math>3000\times\left(\frac{48}{100}+\frac{3}{8}\right)</math> oe</p> <p>or <b>B1</b> for 1440 or 1125 or 1560 or 1875</p> <p>If 0 scored <b>SC1</b> for answer 975</p>
1(e)	35.7	3	<p><b>M2</b> for <math>\frac{100+15}{100}\times\frac{100+18}{100}[-1]</math> oe or better</p> <p>or <b>M1</b> for <math>k\times\frac{100+15}{100}\times\frac{100+18}{100}</math> oe</p>



Question 103

(a)(i)(a)	187 or 186.7 to 186.8 or $186\frac{42}{53}$	1	
(a)(i)(b)	2 : 7 : 42 cao	2	<p><b>B1</b> for 106 : 371 : 2226 or any equivalent ratio</p> <p>If 0 scored, <b>SC1</b> for 2 : 7 : 42 in the wrong order</p>
(a)(ii)	33.3 or 33.28 to 33.29	2	<p><b>M1</b> for <math>\frac{2967 - 2226}{2226} [\times 100]</math> oe</p> <p>or <math>\frac{2967}{2226} \times 100 [- 100]</math> oe</p>
(a)(iii)	1706 cao nfw	3	<p><b>B2</b> for 1705 to 1706.0... or 1710</p> <p>or <b>M1</b> for <math>\left(1 + \frac{30.48}{100}\right)^x = 2226</math> oe or better</p> <p>If 0 or M1 scored, <b>SC1</b> for rounding <i>their</i> decimal answer seen to nearest integer</p>
(b)	3897	5	<p><b>B1</b> for <math>a = 2000</math></p> <p><b>M2</b> for <math>[b =] \sqrt[3]{\frac{2662}{2000}}</math></p> <p>or <b>M1</b> for <math>2662 = 2000b^3</math></p> <p><b>M1</b> for <i>their</i> <math>2000 \times \left(\sqrt[3]{\frac{2662}{\text{their}2000}}\right)^7</math></p> <p>or for <i>their</i> <math>a \times (\text{their } b)^7</math> provided <i>their a</i> and <i>their b</i> are clearly identified in the working</p> <p>If 0 or M1 scored, <b>SC1</b> for rounding <i>their</i> decimal answer seen to nearest integer.</p>

Question 104

(a)	10 07	1	
(b)	123	2	<b>M1</b> for $10\ 30 - 8\ 27$ soi or $10\ 30 - 8\ 52 + 25$ soi or $25 + 50 + 48$
(c)	$25.2, 25\frac{1}{5}$	2	<b>M1</b> for figs $29.4 \div 70$ [ $\times 60$ ] oe
(d)	\$142.1[0] cao	4	<b>M2</b> for [adults =] $56 \div 8 \times 5$ and [child =] $56 \div 8 \times 3$ or better  or <b>M1</b> for $56 \div (5 + 3) \times k$ where $k = 1, 3$ or 5  <b>M1</b> for <i>their</i> $35 \times 2.80 + \textit{their}$ $21 \times 2.80 \times \frac{3}{4}$ oe

Question 105

42 028

2	<b>M1</b> for $\frac{380}{500}$ oe soi isw
---	--

Question 106

52

2	<b>M1</b> for $x \times \frac{100 - 16}{100} = 43.68$ oe or better
---	--

Question 107

(i)	70 or 70.16[5...] or 70.17 or 70.2	3	<b>M2</b> for $\frac{29\ 750 \text{ to } 29\ 800}{400 + 25}$ or $\frac{29\ 750 \text{ to } 29\ 800}{400 + 24}$ or $\frac{29\ 800 - 50}{400 \text{ to } 425}$  or <b>B1</b> for 29 750 or 29 850 or 29 849 or 375 or 425 or 424 seen
(ii)	2399 or 2400 nfw	2	<b>B1</b> for 27 450 or 27 550 or 27 549 or 29 850 or 29 849 seen

Question 108

(a)	150	2	<b>B1</b> for answer $150k$  or <b>M1</b> for prime factors of 30 or 75 seen or a list of multiples of both 30 and 75 with at least 3 of each or for $\frac{30 \times 75}{15}$ oe or for answer $2 \times 3 \times 5^2$
(b)	152 190 266	3	Accept in any order <b>B2</b> for two correct answers or <b>M1</b> for $\frac{608}{4+5+7} \times k$ oe where $k=1, 4, 5, 7$
(c)	$2.61 \times 10^{-2}$ $2.61 \times 10^{-2}$ or $2.608... \times 10^{-2}$	2	<b>B1</b> for figs 2608 or 261 seen  If 0 scored, <b>SC1</b> for answer $2.6[0] \times 10^{-2}$ without more accurate value in standard form seen
(d)	$\frac{27}{99}$ oe fraction	1	
(e)	2.8	1	
	$\text{g/cm}^3$ or $\text{g cm}^{-3}$	1	

Question 109

(a)	42	2	<b>M1</b> for $12 \div 2$ or better
(b)(i)	5.72	2	<b>M1</b> for $\frac{100-12}{100} \times 6.50$ oe or <b>B1</b> for 0.88 oe
(b)(ii)	12.5[0]	2	<b>M1</b> for $\frac{100-12}{100} \times x = 11$ or better oe
(c)	4	2	<b>M1</b> for $\frac{100+2.5}{100} \times [\dots] = \frac{100+6.6}{100}$ oe
(d)(i)	72.3 or 72.31...	2	<b>M1</b> for $80 \times \left(\frac{100-2}{100}\right)^5$ oe
(d)(ii)	4 nfw	3	<b>B2</b> for answer 9 nfw or <b>M2</b> for correct trials with values giving either side of 67  or <b>M1</b> for $80 \times \left(\frac{100-2}{100}\right)^n = 67$  or <i>their</i> $(i) \times \left(\frac{100-2}{100}\right)^k = 67$  or an evaluated trial with $n \geq 6$ or $k \geq 1$

### Question 110

(a)(i)	60.9 or 60.86 to 60.87	1	
(a)(ii)	375	2	<b>M1</b> for $\frac{250}{12}$ [ $\times 18$ ] oe
(a)(iii)	30 nfw	3	<b>M1</b> for figs $2200 \div 800$ [ $\times 12$ ] oe <b>M1</b> for $1500 \div 600$ [ $\times 12$ ] oe
(b)(i)	1.92	2	<b>M1</b> for $k \times \left(1 + \frac{25}{100}\right) = 2.4[0]$ oe or better
(b)(ii)	43.75 or $43\frac{3}{4}$	3	<b>M2</b> for $\left[\left(1 + \frac{25}{100}\right) \times \left(1 + \frac{15}{100}\right) [-1]\right] [\times 100]$ oe or $\left(1 + \frac{25}{100}\right) \times \left(1 + \frac{15}{100}\right) \times 100 [-100]$ or for $\frac{2.40 \times \left(1 + \frac{15}{100}\right)}{\text{their (b)(i)}} \times 100 [-100]$ oe or <b>M1</b> for $2.40 \times \left(1 + \frac{15}{100}\right)$ or $\left(1 + \frac{25}{100}\right) \times \left(1 + \frac{15}{100}\right)$ oe
(c)	18 nfw	3	<b>M2</b> for $\frac{200 \text{ to } 210}{11.5 - 0.25}$ or $\frac{200 + 5}{11 \text{ to } 11.5}$ oe or <b>M1</b> for $200 + 5, 200 - 5, 11.5 + 0.25$ or $11.5 - 0.25$

### Question 111

3, 12, 27

2 | **B1** for 12 or 27

### Question 112

(c)(i)	$3n + 10$ oe final answer	2	<b>B1</b> for $3n + k$ oe or $jn + 10$ oe ( $j \neq 0$ ) or for correct expression shown in working and then spoilt
(c)(ii)	$2n^3 + 1$ oe final answer	2	<b>B1</b> for 3rd diff = 12 (both needed) or for cubic answer or for correct expression shown in working and then spoilt

### Question 113

(a)(i)	75	2	<b>M1</b> for $\frac{45}{3}[\times k]$ where $k$ is 1, 5 or 8
(a)(ii)	2.332 oe	2	<b>M1</b> for $2.65$ [million] $\times \left(1 - \frac{12}{100}\right)$ oe or <b>B1</b> for 0.318[million] seen
(a)(iii)	23 280 cao	2	<b>M1</b> for $\frac{6.25}{100} \times x = 1455$ or better
(a)(iv)	1450 or 1449 to 1450	3	<b>M2</b> for $1631 = k \left(1 + \frac{4}{100}\right)^3$ oe or better or <b>B1</b> for $\left(1 + \frac{4}{100}\right)^3$ oe seen or <b>M1</b> for $1631 = k \left(1 + \frac{4}{100}\right)^n, n > 0$ oe
(b)(i)	$\frac{7x}{2}$ oe	1	
(b)(ii)	$x + 12 \frac{7x}{2} - 26$ oe final answer	2	<b>FT</b> their (b)(i) <b>B1</b> for $x + 12$ <b>B1</b> for their $\frac{7x}{2} - 26$
(c)	18 nfw	3	<b>M2</b> for $\frac{200 \text{ to } 210}{11.5 - 0.25}$ or $\frac{200 + 5}{11 \text{ to } 11.5}$ oe or <b>M1</b> for $200 + 5, 200 - 5, 11.5 + 0.25$ or $11.5 - 0.25$

### Question 114

(a)(i)	550 nfw	3	<b>M2</b> for $\frac{500 \times 2 \times 5}{100} + 500$ oe or <b>M1</b> for $\frac{500 \times 2 \times 5}{100}$ oe
(a)(ii)	546.65	2	<b>M1</b> for $500 \times \left(1 + \frac{1.8}{100}\right)^5$ oe
(a)(iii)	8 nfw	3	<b>B2</b> for final answer 13 OR <b>M2</b> for trials correctly comparing both investments to 7 and 8 more years  or <b>M1</b> for at least two trials correctly comparing both investments




(b)	1476 cao	3	<b>B2</b> for 1480 or 1476.2 ... OR <b>M1</b> for $2500 \times \left(1 - \frac{10}{100}\right)^5$ oe <b>B1</b> for their more accurate answer seen correctly rounded to the nearest dollar.
(c)	3.2[0] or 3.200 to 3.201	3	<b>M2</b> for $(...) = \sqrt[22]{2}$ oe isw or <b>M1</b> for $[N] \times (...)^{22} = 2[N]$

Question 115

(a)(i)	2990 cao	1	
(a)(ii)	1.0 cao	1	
(a)(iii)	2100 cao	1	
(b)	97	1	
(c)	$\frac{1}{64}$ final answer	1	
(d)	$7.01[0] \times 10^{-3}$	1	
(e)	$1.65 \times 10^x$	2	<b>M1</b> for final answer figs 165 or for $15 \times 10^{x-1}$ seen or for $0.15 \times 10^x$ seen
(f)	$37.7... - 3.7... [= 34]$ oe	<b>M1</b>	
	$\frac{34}{90}$ oe fraction	<b>B1</b>	

### Question 116

(a)(i)	$\frac{750}{8+7} \times 8$ [= 400]	<b>M1</b>
(a)(ii)(a)	37.5	<b>1</b>
(a)(ii)(b)	275	<b>3</b> <b>M2</b> for $250 + \frac{250 \times 2 \times 5}{100}$ oe or <b>M1</b> for $\frac{250 \times 2 \times 5}{100}$ oe
(a)(iii)	407[.00] cao nfwv	<b>3</b> <b>B2</b> for 406.5 to 406.7 or <b>M1</b> for $350 \times \left(1 + \frac{0.25}{100}\right)^{60}$ oe isw If 0 scored <b>SC1</b> for answer 354 or answer 406
(b)	24	<b>2</b> <b>M1</b> for [C : D =] 6 : 10 oe and [C : E =] 6 : 9 oe or for $\frac{6}{6+10+9} [\times 100]$ oe
(c)	56 000 nfwv	<b>3</b> <b>M2</b> for $60564 \div \left(1 + \frac{3}{100}\right) \div \left(1 + \frac{5}{100}\right)$ oe or <b>M1</b> for $[x \times] \left(1 + \frac{3}{100}\right) \times \left(1 + \frac{5}{100}\right)$ or for $60564 \div \left(1 + \frac{3}{100}\right)$ oe or $60564 \div \left(1 + \frac{5}{100}\right)$ If 0 scored, <b>SC1</b> for answer 65499 to 65500
(d)	2.5[0] or 2.499...	<b>3</b> <b>M2</b> for $\sqrt[3]{\frac{609.20}{500}}$ oe or <b>M1</b> for $500 \times (\dots)^3 = 609.2[0]$ oe




Question 117

(a)(i)	22.5	2	M1 for $\frac{9}{14+17+9} [\times 100]$
(a)(ii)	238	2	FT <i>their</i> $14 + 17 + 9 = N$ seen in (a)(i) M1 for $\frac{560}{\text{their } (14+17+9)} \times k$ , where $k = 1, 9, 14$ or $17$
(a)(iii)	<u>METHOD 1</u> $1.25 \times 195$ oe	M2	M1 for $\frac{25}{100} \times 195$
	243[.75] and No oe	A1	Strict FT yes if <i>their</i> (a)(ii) $> 243.75$ If M0 scored, then SC1 for 243.75 and a correct conclusion.
	<u>METHOD 2</u> $\frac{\text{their } 238}{195} - 1 = 0.22\dots$ oe	(M2)	M1 for $\frac{\text{their } 238}{195} = 1.22\dots$ oe
	22[%] (or better) and No oe	(A1)	Strict FT yes if <i>their</i> (a)(ii) gives answer $> 25$ If M0 scored, then SC1 for 22.05 and a correct conclusion.
	<u>METHOD 3</u> $195 \times 0.25 = 48.75$ oe and <i>their</i> $238 - 195 = 43$	(M2)	M1 for $0.25 \times 195$
	43 and 48.75 and NO	(A1)	Strict FT yes if <i>their</i> (a)(ii) gives profit $> 48.75$ If M0 scored, then SC1 for 43 and 48.75 and a correct conclusion.
	<u>METHOD 4</u> $\frac{\text{their } 238}{125} \times 100$	(M2)	M1 for $x \times \left(1 + \frac{25}{100}\right) = \text{their } 238$
	190.4 and NO	(A1)	Strict FT yes if <i>their</i> (a)(ii) gives answer $> 195$ If M0 scored then SC1 for 190.4 and a correct conclusion.

(b)	56.55	2	<b>M1</b> for $\frac{725 \times 1.3 [\times 6]}{100}$ oe
(c)	48.5[0]	2	<b>M1</b> for $x \times \left(1 - \frac{24}{100}\right) = 36.86$ oe

Question 118

(a)(i)	$\frac{1}{5}, \frac{2}{7}, \frac{3}{9}$ final answer	2	<b>B1</b> for 2 correct terms isw or for 0.2 and (0.286 or 0.2857...) and 0.333...
(a)(ii)	36	2	<b>M1</b> for $k = \frac{12(2k+3)}{25}$ or better
(b)(i)	$n^3 + 5$ oe final answer	2	<b>B1</b> for any cubic or common third differences of 6 (at least 2) or for correct answer seen and spoilt
(b)(ii)	$100 \times 2^{1-n}$ oe final answer	2	<b>B1</b> for $2^{-n [+k]}$ oe or $\left(\frac{1}{2}\right)^{n [+k]}$ oe in answer or for correct answer seen and spoilt



Question 119

(a)	249.98 to 250[.0...]	3	<p><b>M2</b> for <math>830 - 500 \times 1.16</math> or <b>M1</b> for <math>500 \times 1.16</math></p> <p>OR</p> <p><b>M1</b> for <math>830 \div 1.16</math> <b>M1</b> for <i>(their 715.5... - 500) × 1.16</i></p>
(b)(i)	33.5 or 33.51...	2	<p><b>M1</b> for <math>\frac{12400}{37000} [\times 100]</math> oe</p> <p>If 0 scored, <b>SC1</b> for answer 66.5 or 66.48 to 66.49</p>
(b)(ii)	38 184 cao	2	<p><b>M1</b> for <math>37\,000 \times \left(1 + \frac{3.2}{100}\right)</math> oe</p> <p>or <b>B1</b> for 1184</p>
(c)(i)	441 or 440.6 or 440.64 to 440.65	3	<p><b>B2</b> for answer 3941 or 3940.6 or 3940.64 to 3940.65</p> <p>or <b>M2</b> for <math>3500 \times \left(1 + \frac{2.4}{100}\right)^5 - 3500</math></p> <p>or <b>M1</b> for <math>3500 \times \left(1 + \frac{2.4}{100}\right)^5</math> oe isw</p>
(c)(ii)	16	3	<p><b>B2</b> for 15[.0] nfw to 15.1</p> <p>or <b>M2</b> for <math>3500 \times \left(1 + \frac{2.4}{100}\right)^{15}</math> oe seen</p> <p>or <math>3500 \times \left(1 + \frac{2.4}{100}\right)^{16}</math> oe seen</p> <p>or <b>M1</b> for</p> <p><math>(3500 \text{ or } \textit{their 3941}) \times \left(1 + \frac{2.4}{100}\right)^n</math></p> <p>associated with 5000 oe</p>

Question 120

(b)(i)	25000	1	
(b)(ii)	$2.473 \times 10^4$	1	
(c)(i)	166 650 or 165816 nfw	3	<p><b>M2</b> for <math>(500 + 5) \times '320 \text{ to } 340'</math> or <math>'500 \text{ to } 510' \times (320 + 10)</math></p> <p>or <b>M1</b> for <math>500 - 5</math> or <math>500 + 5</math> or <math>320 - 10</math> or <math>320 + 10</math></p> <p>Alternative method <b>M2</b> for <math>504 \times '320 \text{ to } 340'</math> or <math>'500 \text{ to } 510' \times 329</math></p> <p>or <b>M1</b> for 504 or 329</p>
(c)(ii)	285 or 286 nfw	2	<b>M1</b> for $800 - 10$

Question 121

(a)(i)	600	2	<b>M1</b> for $\frac{1250}{12+9+4} \times k$ where $k = 1, 4, 9, 12$ oe
(a)(ii)	80	2	<b>M1</b> for $1250 \times 64 [\div 1000]$
(a)(iii)	60	2	<b>M1</b> for $x \times \left(1 - \frac{10}{100}\right) = 54$ oe
(a)(iv)	1000	2	<b>M1</b> for $1250 - (1250 \div 5)$ oe or <b>B1</b> for 250
(b)(i)	3.52	2	<b>M1</b> for $[10 - ] 12 \times 0.54$ or <b>B1</b> for 6.48
(b)(ii)	0.08	3	<p><b>B2</b> for <math>0.077[4\dots]</math></p> <p>or <b>M1</b> for <math>0.51 \div 0.826</math></p> <p>If 0 or 1 scored award instead <b>SC2</b> for 0.93 final answer OR If 0 scored <b>SC1</b> for 0.06 as answer</p>