

Extended Mathematics
Topic :Trigonometry
Year :May 2013 -May 2023
Paper -4
Answers

Question 1

(a) (i)	$\frac{12^2 + 21^2 - 15^2}{2 \times 12 \times 21}$ 44.41 to 44.42	M2	M1 for $15^2 = 12^2 + 21^2 - 2 \cdot 12 \cdot 21 \cos M$ A1 for [cos =] 0.714 or 0.7142 to 0.7143 or $\frac{360}{504}$ oe
(ii)	88.2 or 88.15 to 88.19	2	M1 for $0.5 \times 12 \times 21 \times \sin(44.4)$ oe
(b)	7.74 or 7.736 to 7.737.... www	4	B1 for 55 soi M2 $\frac{6.4}{\sin(\text{their } R)} \times \sin 82$ oe or M1 for $\frac{6.4}{\sin(\text{their } R)} = \frac{PR}{\sin 82}$ oe

Question 2

(i)	59.6 or 59.57... www	4	M2 for $45^2 + 32^2 - 2 \times 45 \times 32 \times \cos 100$ or M1 for implicit cos rule and A1 for 3549....
(ii)	22.[0] or 21.99... www	3	M2 for $324 \div (\frac{1}{2} \times 32 \times \sin 67)$ or M1 for [324 =] $\frac{1}{2} \times 32 \times x \times \sin 67$

Question 3

6.61 (6.614...) www

6

B1 for $\frac{x+2}{2x+3} = \frac{9}{16}$ oe

M1 for $16(x+2) = 9(2x+3)$ or better

A1 for $[x =] 2.5$

M2 for $\sqrt{\{(2 \times \text{their } x + 3)^2 - (\text{their } x + 2)^2\}}$

or

M1 for $(2 \times \text{their } x + 3)^2 - (\text{their } x + 2)^2$

or

SC2 for final answer of $4\sqrt{13}$ or

$\frac{7\sqrt{15}}{2}$ or better

Question 4

(a) 119.94[...] nfw

3

M2 for $\frac{62 \times \sin 122}{\sin 26}$

or **M1** for $\frac{AC}{\sin 122} = \frac{62}{\sin 26}$ oe

SC2 for correct answer from alternative methods

(b) 109 or 108.7 to 108.8 nfw

4

M2 for $119.9..^2 + 55^2 - 2 \times 119.9.. \times 55 \cos 65$

A1 for 11827[...] or 11834 to 11835[...]

or **M1** for implicit version

(c) 1970 or 1969 to 1970.4

2

M1 for $\frac{1}{2} \times 119.9.. \times 62 \times \sin 32$

(d) 22300 or 22310 to 22320

3

M2 for $(\text{their } (c) + 0.5 \times 55 \times 119.9.. \times \sin 65) \times 4.5$

or

M1 for $\text{their } (c) + 0.5 \times 55 \times 119.9.. \times \sin 65$

Question 5

(a) 36.9° or 36.86 to 36.87	2	M1 for $\tan[DBC] = 1.8/2.4$ oe
(b) (i) $1.8^2 + 2.4^2$ leading to $\sqrt{9}$	2	M1 for $1.8^2 + 2.4^2$ or better
(ii) $[\cos ABD) =] \frac{6.46^2 + 3^2 - 8.6^2}{2 \times 6.46 \times 3}$ 127 or 126.8...	M2 A2	M1 for correct cos rule but implicit version A1 for $-0.599...$ After 0 scored, SC2 nfw for answer 127 or 126.8 to 126.96 from other methods or no working shown
(c) 39.6 or 39.7 or 39.59 to 39.68	3	M2 for $\frac{1}{2}(2.4 + 8.6) \times 1.8 \times 4$ oe Or M1 for $\frac{1.8}{2}(2.4 + 8.6)$ oe soi by 9.9 to 9.92

Question 6

(a) 45.[0] or 45.01 to 45.02 nfw	4	M2 for $55^2 + 70^2 - 2.55.70 \cos 40$ or M1 for correct implicit equation A1 for 2026.
(b) 84.9 or 84.90 to 84.92	4	B1 for angle BDC = 40 soi M2 for $\frac{70 \sin(\text{their } 40)}{\sin 32}$ or M1 for correct implicit equation
(c) (i) 4060 or 4063 to 4064 nfw	3	M2 for $\frac{1}{2}(55 \times 70 \sin 40) + \frac{1}{2}(70 \times \text{their } (b) \sin(180 - \text{their } 40 - 32))$ oe or M1 for correct method for one of the triangle areas
(ii) 1020 or 1015 to 1016	2FT	FT their (c) (i) $\div 4$ oe correctly evaluated or M1 their (c) (i) \div figs 4 oe

(ii) 1020 or 1015 to 1016

2FT **FT** their (c) (i) $\div 4$ oe correctly evaluated
or **M1** their (c) (i) \div figs 4 oe

(d) 35.4 or 35.35... nfw

2 **M1** for $\sin 40 = \frac{\text{distance}}{55}$ or better
or for $\frac{1}{2} (55 \times 70 \sin 40) = (70 \times \text{distance}) \div 2$

Question 7

(a) (i) 72[.0] or 71.98 to 71.99 nfw

3 **M2** for $[\sin P =] \frac{97}{\frac{1}{2} \times 12 \times 17}$ oe
or **M1** for implicit version

(ii) 16.2 or 16.18 to 16.19 nfw

4 **M2** for $6^2 + 17^2 - 2 \times 6 \times 17 \times \cos(\text{their } 72)$
or **M1** for implicit form
and **A1** for $[XR^2 =] 261.8$ to 262

(b) 7.61 or 7.612... nfw

4 **M3** for $[a =] 9.4 \times \sin 37 \div \cos 42$ oe
or $[a =] 9.4 \sin 37 / \sin(90 - 42)$
or **M2** for $[a =]$ their height $\div \cos 42$ oe
or $\frac{a}{\sin 37} = \frac{9.4}{\sin(90 - 42)}$ oe
or **M1** for their height $\div a = \cos 42$
or for $[\text{their height} =] 9.4 \times \sin 37$ oe
or **B1** for 48° correctly used or seen in
correct position on diagram

(c) 50

1

130

1

Question 8

(a)	86.8 or 86.83....	3	M2 for $\frac{80 \sin 55}{\sin 49}$ or M1 for $\frac{80}{\sin 49} = \frac{x}{\sin 55}$ oe
(b)	51.2 or 51.15 to 51.16	4	M2 for [cos =] $\frac{95^2 + 90^2 - 80^2}{2 \cdot 95 \cdot 90}$ oe or M1 for $80^2 = 95^2 + 90^2 - 2 \cdot 90 \cdot 95 \cdot \cos BCD$ A1 for $\frac{10\ 725}{17\ 100}$ or $\frac{143}{228}$ etc. or 0.627.....
(c)	6700 or 6698 to 6703	3	M2 for $0.5 \times 80 \times \text{their(a)} \times \sin(180-55-49)$ oe [3368 – 3370...] [If <i>AB</i> used then <i>AB</i> = 102.8 to 103] $+ 0.5 \times 90 \times 95 \times \sin(\text{their(b)})$ oe [3329 – 3332] or M1 for one of these triangle area methods oe
(d)	2180 or 2176 to 2179	3FT	FT <i>their</i> (c) $\times 0.325$ correctly evaluated to 3 sf or better M2 for <i>their</i> (c) $\times \frac{3250}{10\ 000}$ or SC1 FT for figs 218 or figs 2176 to 2179

Question 9

(a)	[0]44 to [0]48	1	
(b)	12.6 to 13.2	2	B1 for 8.4 to 8.8 seen
(c)	340	1	
(d)	1 : 150 000	2	M1 for $\times 100\ 000$ soi

Question 10

(a)	Angle $LPQ = 32$ soi $58^2 + 74^2 - 2 \times 58 \times 74 \cos \text{their } P$ 39.50[1...]	B1 M2 A2	M1 for correct implicit cos rule A1 for 1560.3 to 1560.4 or 1560
(b)	$\sin PQL = \frac{58 \sin \text{their } P}{39.5}$ oe 51.1 or 51.08 to 51.09	M2 B1	M1 for $\frac{\sin PQL}{58} = \frac{\sin(\text{their } P)}{39.5}$ oe
(c) (i)	322	2	M1 for $180 + 142$ oe
(ii)	[0]13[.1] or 13.08 to 13.09	1FT	FT <i>their</i> (b) – 38
(d)	17.8 or 17.77 to 17.78	3	M1 for $74 \div 2.25$ oe soi by 32.888... to 3 sf or better M1 for dist or speed $\div 1.85$
(e)	30.7 or 30.73 to 30.74...	3	M2 for $58 \sin \text{their } P$ oe or $39.5 \sin \text{their } (b)$ or M1 for $\frac{x}{58} = \sin \text{their } P$ oe or $\frac{x}{39.5} = \sin \text{their } (b)$


Question 11

(a)	$\frac{1}{2} \times 16 \times 5.4 \times \sin 62$ oe 38.14...	M1 A1	
(b)	95.6 or 95.64 to 95.65	4	M2 for $\frac{6.7 \times \sin 48}{8.4}$ or M1 for implicit form and M1dep for $180 - 48 - \text{their } 36.4$

(c)	286 or 285.7 to 285.8	5	<p>B1 for [Angle $APB=$] 83°</p> <p>M2 for $180^2 + 245^2 - 2 \times 180 \times 245 \times \cos \text{their } 83$</p> <p>or M1 for implicit form and A1 for [$AB^2 =$] 81676[1...]</p> <p>After 0 scored, SC2 for ans 406.87 to 406.88 or 406.9 or 407 if 146° used in cos rule Or SC1 for $180^2 + 245^2 - 2 \times 180 \times 245 \times \cos 146$</p>
-----	-----------------------	---	--

Question 12

(a)	$95.5^2 + 83.1^2 - 2 \times 95.5 \times 83.1 \times \cos 101$ 138.0...	M2	M1 for $\cos 101 = \frac{95.5^2 + 83.1^2 - AB^2}{2 \times 95.5 \times 83.1}$
(b)	110 or 109.7 to 109.8	A2	A1 for 19054[...] also implies M2
(c)	18.8 or 18.79[...]	4	B3 for 36.2 or 36.20 to 36.24[1..] 2 M1 for $46.2 \times \cos(45 + 21)$ oe After M0 , SC1 for answer 42.2 or 42.20 to 42.21



Question 13

(a) (i)	8.27 or 8.269... nfw	4	<p>M2 for $7.6^2 + 8.4^2 - 2 \times 7.6 \times 8.4 \times \cos(62)$ oe or M1 for implicit form</p> <p>A1 for $[PQ^2 =]$ 68.3 to 68.5</p>
(ii)	28.2 or 28.18..	2	<p>M1 for $0.5 \times 7.6 \times 8.4 \times \sin 62$ oe</p>
(b)	55.8 or 55.78 to 55.79 nfw	5	<p>B1 for $[HGJ] = 81$</p> <p>B1 for $[GHJ] = 61$</p> <p>M2 for $[GJ =] \frac{63}{\sin(\text{their } 81)} \times \sin(\text{their } 61)$ or M1 for implicit form After M0, SC1 for final answer of 68.1...</p>

Question 14

(a) (i)	10.6 or 10.59...	2	<p>M1 for $\tan = \frac{55}{294}$ oe</p>
(ii)	175 or 174.9[...] to 175.[1...]	4	<p>M2 for $[\text{adj} =] \frac{55}{\tan 24.8}$ oe or M1 for implicit version and M1 dep on at least M1 for $294 - \text{their adj}$</p>
(b) (i)	4.9 or 4.89 to 4.9	4	<p>M3 for $\sqrt{4^2 + \left(\frac{1}{2}\sqrt{4.8^2 + 3^2}\right)^2}$ or M2 for $\frac{1}{2}\sqrt{4.8^2 + 3^2}$ or M1 for $\sqrt{4.8^2 + 3^2}$ or $2.4^2 + 1.5^2$</p>
(ii)	54.7 or 54.71 to 54.722	2	<p>M1 for $\sin = \frac{4}{\text{their } 4.9}$</p>

Question 15

(a)	2180 or 2181.... nfw	4	M2 for $680^2 + 2380^2 - 2 \times 680 \times 2380 \cos 65$ oe or M1 for correct implicit cosine formula A1 for 4760000 or 4758000 to 4759000
(b)	78.7 or 78.71...	3	M2 for $\frac{2380 \sin 40}{1560}$ or M1 for $\frac{1560}{\sin 40} = \frac{2380}{\sin M}$ oe
(c)	309 or 308.7...	2FT	FT 230 + <i>their</i> (b) B1FT 50 + <i>their</i> (b) for 129 or 128.7... [i.e. for C from M]
(d) (i)	2339 oe	1	
(d) (ii)	650	2	M1 for $1560 \div$ journey time

Question 16

(a)	1.6[0] or 1.601 to 1.602	3	M2 for $\frac{0.6}{\cos 68}$ oe or M1 for $\cos 68 = \frac{0.6}{AC}$
(b)	43.5 or 43.6 or 43.49 to 43.56	4	M2 for $\frac{1.9^2 + 2.3^2 - \text{their } 1.6^2}{2 \times 1.9 \times 2.3}$ or M1 for implicit statement A1 for [cos =] 0.724 to 0.726
(c)	1.33 or 1.332...nfw	4	M2 for $\sqrt{2.3^2 - (\frac{1}{2} \times 1.2)^2}$ or M1 for $2.3^2 = h^2 + (0.5 \times 1.2)^2$ and M1 for $\frac{1}{2} \times 1.2 \times \text{their } 2.22$ (<i>their</i> 2.22 must come from attempt at Pythag or from trig in triangle BCD)
(d)	41.1 or 41.13 to 41.14	3	M2 for $\sin = \frac{1.25}{1.9}$ oe or M1 for correct angle identified

Question 17

(a) (i)	25.4 or 25.35... nfw	5	<p>M2 for $\sqrt{60^2 - 50^2}$ oe soi by 33.1 to 33.2 or M1 for $TB^2 + 50^2 = 60^2$ oe and M2 for $\tan = \frac{\text{their } TB}{70}$ oe or B1 for recognising angle TCB as required angle</p>
(ii)	109 or 109.0 to 109.1	4	<p>M2 for $50^2 + 70^2 - 2 \times 50 \times 70 \times \cos 130$ M1 for implicit cos rule A1 for 11 899 to 11 900</p>
(iii)	1 340 or 1 340.0 to 1 341	2	<p>M1 for $\frac{1}{2} \times 50 \times 70 \times \sin 130$ oe</p>
(b)	51.5 or 51.50 to 51.51	4	<p>M3 for $[XY] = \sqrt{45^2 + 22^2 + 12^2}$ or M2 for $[XY^2 =] 45^2 + 22^2 + 12^2$ soi by 2 653 or M1 for $45^2 + 22^2$ oe or $45^2 + 12^2$ oe or $12^2 + 22^2$ oe</p>

Question 18

(a) (i)	275	2	<p>M1 for $360 - 40 - 45$ oe</p>
(ii)	095	2FT	<p>FT their (a) - 180 M1 for their (a) - 180 oe or $180 - 40 - 45$</p>
(b)	464.66 to 464.67 [= 464.7]	4	<p>M2 for $510^2 + 720^2 - 2 \times 510 \times 720 \cos 40$ or M1 for correct implicit equation A1 for 215 900 to 215 920</p>
(c)	44.9 or 44.86 to 44.87...	3	<p>M2 for $\frac{510 \sin(40)}{464.7}$ or M1 for correct implicit equation</p>

Question 19

(a)	$360 - 210 [= 150]$ $(180 - 150) \div 2 [= 15]$ or $150 \div 2 [=75]$ and $180 - 75 - 90$ $[=15]$	M1 M1	
(b)	15.5 or 15.45 to 15.46 nfw	4	M3 for $2 \times 8 \cos 15$ oe or M2 for $8 \cos 15$ oe or M1 for $\frac{x}{8} = \cos 15$ oe
(c)	29.5 or 29.4 or 29.39 to 29.50..	3	M2 for $[\sin ABC =] \frac{8 \times \sin 72}{\text{their}(b)}$ or M1 for $\frac{\sin ABC}{8} = \frac{\sin 72}{\text{their}(b)}$ oe
(d)	194 or 193.7 to 194.1 nfw	6	M2 for $\frac{210}{360} \times \pi \times 8^2$ or M1 for $[k] \pi \times 8^2$ seen and M1 for $\frac{1}{2} \times 8^2 \times \sin 150$ oe and M2 for $\frac{1}{2} \times 8 \times \text{their}(b) \times \sin(108 - \text{their}(c))$ oe or B1 for $[\text{angle } CAB =] 108 - \text{their}(c)$
(e)	12.1 or 12.11 to 12.13	2FT	FT $\text{their}(d) \div 4^2$ oe M1 for 4^2 or $\left(\frac{1}{4}\right)^2$ soi

Question 20


(a)	270 or 270.17 to 270.22	3	M2 for $\frac{360-145}{360} \times \pi 12^2$ oe or B1 for 215 seen or M1 for $\frac{\theta}{360} \times \pi 12^2$ used
(b)	518 or 517.6 to 517.8 nfw	6	B4 for vertical height = 9.62 to 9.63 or B3 for radius = 7.166 to 7.17 or B2 for length of sector = 45.[0] or 45.02 to 45.04

Question 21

(a)	$[\cos ABL =] \frac{40^2 + 61.1^2 - 92.1^2}{2 \times 40 \times 61.1}$ <p>130.11...</p>	<p>M2</p> <p>A2</p>	<p>M1 for correct implicit version</p> <p>A1 for $[\cos ABL =] -0.644\dots$ or $-\frac{7873}{12220}$ or $-\frac{3149.2}{4888}$</p>
(b)	<p>[0]59.5 or 59.50 to 59.511</p>	<p>4</p>	<p>M2 for $\frac{40 \sin 130.1}{92.1}$ or $\frac{61.1 \sin 130.1}{92.1}$</p> <p>or</p> <p>M1 for $\frac{\sin A}{40} = \frac{\sin 130.1}{92.1}$ or $\frac{\sin L}{61.1} = \frac{\sin 130.1}{92.1}$</p> <p>and</p> <p>A1 for 19.39 to 19.4... or 30.48 to 30.49...</p>
(c)	<p>1h 50min</p>	<p>5</p>	<p>M2 for $[BC =] 2 \times 40 \times \cos(180 - 130.1)$ oe</p> <p>or M1 for $\frac{x}{40} = \cos(180 - 130.1)$ oe</p> <p>OR M2 for $[BC =] \sqrt{40^2 + 40^2 - 2 \times 40 \times 40 \cos(\text{their } 80.2)}$</p> <p>or M1 for correct implicit version</p> <p>OR M2 for $[BC =] \frac{40 \sin(\text{their } 80.2)}{\sin 49.9}$</p> <p>or M1 for correct implicit version</p>

Question 22

(c)	328 or 328.3 to 328.5	5	B1 for [angle $A =$] 78.75 seen M2 for $180^2 + (\text{their } AB)^2 - 2 \times 180 \times \text{their } AB \times \cos 78.75$ or M1 for $\cos 78.75 = \frac{180^2 + (\text{their } AB)^2 - x^2}{2 \times 180 \times (\text{their } AB)}$ A1 for 107 800 to 107 900
(d) (i)	108.75 or 108.7 or 108.8	1	
(ii)	288.75 or 288.7 or 288.8	2FT	FT 180 + <i>their (d)(i)</i> M1 for 180 + <i>their (d)(i)</i> or 360 - (180 - <i>their (d)(i)</i>)
(a)	$\frac{240 \sin 85}{\sin 50}$	M2	or M1 for $\frac{\sin 50}{240} = \frac{\sin 85}{AB}$ oe
	312 or 312.1	B1	
(b)	$\frac{1}{2} \times 180 \times 240 \times \sin A = 12000$	M1	
	33.748 to 33.749	A2	A1 for $\sin = \frac{24000}{43200}$ or better or 0.555 or 0.556 or 0.5̇ or 0.5555 to 0.5556



Question 23

(a) 115 or 114.5 to 114.6

(b) 126

(c) 120

3 **M2** for $\frac{r^2}{\frac{\pi r^2}{360}}$ or better

or **M1** for $\frac{w}{360} \times \pi \times r^2 = r^2$

3 **M2** for $\frac{x}{360} \times 2\pi r [+2r] = [2r+] \frac{7\pi r}{10}$ or better

or **M1** for $\frac{x}{360} \times 2\pi r$

4 **B3** for $\frac{y}{2} = 60$ or x (base angle) = 30

OR

M3 for $\cos x$ or $\sin\left(\frac{y}{2}\right) = \frac{\sqrt{3}}{2}$ oe or $\cos y = -\frac{1}{2}$
oe

or **M2** for $\cos x$ or $\sin\left(\frac{y}{2}\right) = \frac{q\sqrt{3}}{2q}$

or $[\cos y] = \frac{q^2 + q^2 - (q\sqrt{3})^2}{2 \times q \times q}$ oe


or **M1** for

$\left[(q\sqrt{3})^2 =\right] q^2 + q^2 - 2 \times q \times q \cos y$ oe

After **M0**, **SC1** for $[h^2 =] q^2 - \left(\frac{1}{2}q\sqrt{3}\right)^2$ or for
 q replaced by 1, 2, 4, etc.


Question 24

(a)	126 or 126.4 to 126.5	3	M2 for $\sqrt{220^2 - 180^2}$ oe or M1 for $BC^2 + 180^2 = 220^2$ oe
(b)	99.9 or 99.86 to 99.87	4	M2 for $180^2 + 170^2 - 2 \times 180 \times 170 \cos 33$ or M1 for $\cos 33 = \frac{180^2 + 170^2 - CD^2}{2 \times 180 \times 170}$ A1 for 9970 or 9973 to 9974
(c)	92.6 or 92.58 to 92.59	2	M1 for $\frac{\text{dist}}{170} = \sin 33$ oe
(d)	115.1 or 115.0 to 115.1	3	M1 for $\cos = \frac{180}{220}$ oe M1dep for $47 + 33 + \text{their angle } BAC$
(e)	19700 or 19708 to 19720	3	M1 for $0.5 \times 180 \times 170 \times \sin 33$ oe or $0.5 \times 180 \times \text{their (c)}$ oe M1 for $0.5 \times 180 \times \text{their (a)}$ oe or $0.5 \times 180 \times 220 \times \sin(\text{their } BAC)$ oe



Question 25

(a) (i)	5.14 or 5.135 to 5.142 nfww	4	<p>M2 for $[XY^2 =] 12.5^2 + 9.9^2 - 2 \times 12.5 \times 9.9 \times \cos 23$ or M1 for implicit version A1 for 26.4 to 26.5 OR B1 for $[XYT =] 108$ or $[TXY =] 49$ M2 for $\frac{12.5 \sin 23}{\sin(180 - 72)}$ oe or M1 for $\frac{\sin(180 - 72)}{12.5} = \frac{\sin 23}{XY}$ oe</p>
(ii)	15.6 or 15.7 or 15.64 to 15.68	3	<p>M2 for $[TZ =] \frac{9.9}{\sin 37} \times \sin(72)$ oe or M1 for $\frac{9.9}{\sin 37} = \frac{TZ}{\sin 72}$ oe OR M2 for $\frac{12.5 \times \sin(180 - 23 - 108)}{\sin 37}$ oe or M1 for $\frac{\sin 37}{12.5} = \frac{\sin(180 - 23 - 108)}{TZ}$ oe</p>
(b)	3.79 or 3.793 to 3.794	4	<p>M3 for $r = 20.5 \div \left(2 + \frac{3 \times 65 \times 2\pi}{360} \right)$ oe or M2 for $20.5 = 2r + \frac{3 \times 65}{360} \times 2\pi r$ oe or M1 for $[3 \times] \frac{65}{360} \times 2\pi r$ oe or $20.5 = 2r +$ expression involving π</p>



Question 26

(a)	1120 or 1121.	4	M2 for $[AC^2 =]$ $525^2 + 872^2 - 2 \times 525 \times 872 \times \cos 104$ or M1 for implicit version A1 for 1257000 to 1258000
(b)	$[QB \text{ or } x =] 872 \times \tan 1$ seen	M2	M1 for $\tan 1 = \frac{QB}{872}$
(c)(i)	222000 or 222100. or 222101	2	M1 for $\frac{1}{2} \times 525 \times 872 \times \sin 104$
(c)(ii)	5.55 or 5.550 to 5.553 nfw	2FT	FT <i>their</i> (c)(i) $\times 100^2 \div 20000^2$ M1 for <i>their</i> (c)(i) $\times 100^2 \div 20000^2$ or restart

Question 27

(a)(i)	290	2	M1 for $180 + 110$ oe
(a)(ii)	156.8 or 156.7[9..]	5	B1FT for $CBA = 10^\circ$ (<i>their</i> (a) – 280) and B3 for $[angle ACB =]13.2^\circ$ or M2 for $[\sin C] = \frac{50 \sin(\text{their}10)}{38}$ or M1 for $\frac{50}{\sin C} = \frac{38}{\sin(\text{their}10)}$ oe
(a)(iii)	8.68 or 8.677 to 8.684	3	M2 for $[x =]50 \sin(\text{their}10)$ oe or M1 for $\sin(\text{their}10) = \frac{x}{50}$ oe or M1 for a correct right-angled triangle drawn with 50 as hypotenuse

(b)(i)	$x(x - 25) = 2200$	1	and no errors seen
(b)(ii)	$\frac{-(-25) \pm \sqrt{(-25)^2 - 4(1)(-2200)}}{2(1)}$ or better	B2	B1 for $\sqrt{(-25)^2 - 4(1)(-2200)}$ or better or for $\left(x - \frac{25}{2}\right)^2$ oe or B1 for $\frac{-(-25) + \sqrt{q}}{2(1)}$ or $\frac{-(-25) - \sqrt{q}}{2(1)}$ or both or for $\frac{25}{2} + \text{or} - \sqrt{\left(\frac{25}{2}\right)^2 + 2200}$
	-36.04 and 61.04 final answer	B1,B1	If B0B0, SC1 for values in ranges -36.042 to -36.041 and 61.041 to 61.042 seen or for answers -36[.0] or -36.042 to -36.041 and 61[.0] or 61.041 to 61.042 or -36.04 and 61.04 seen in working or for -61.04 and 36.04 as final ans

Question 28

(a)	5.68 or 5.684 to 5.685	5	M2 for $2x\sqrt{x^2 + x^2}$ oe or $2 \times \sqrt{2} \times x^2$ or M1 for $x\sqrt{2}$ or $\sqrt{x^2 + x^2}$ oe soi M1 for $\frac{270}{360} \times \pi \times x^2$ oe M1 for $0.5 x^2$ oe
(b)	4.4[0] or 4.398 to 4.401	2	dep on a correct value for k in (a) M1 for $\left[x^2\right] = \frac{110}{\text{their } k}$

Question 29

(a)	7040 or 7035. ...	3	M1 for $\frac{1}{2} \times 100 \times 70$ oe M1 for $\frac{1}{2} \times 100 \times 110 \times \sin 40$ oe
(b)	374 or 375 or 374.4 to 374.5....	5	M2 for $110^2 + 100^2 - 2 \times 110 \times 100 \times \cos 40$ oe or M1 for implicit form A1 for 5250 or 5247. ... (or 72.4 or 72.43 to 72.44) M1 for $70^2 + 100^2$
(c)	64.3 or 64.27 to 64.28 nfw	2	M1 for $\sin 40 = \frac{\text{distance}}{100}$ oe
(d)	235	3	B2 for [angle $ACB =$] 34.99 to 35 or [angle $ABC =$] 55[.0...] or M1 for $\tan[ACB] = \frac{70}{100}$ or $\tan[ABC] = \frac{100}{70}$ or equivalent trig ratio

Question 30

(a)	356 or 356.2 to 356.3	4	B1 for [Angle $LPM =$] 74 soi M2 for $\frac{248 \times \sin \text{their } 74}{\sin 42}$ oe or M1 for implicit statement
(b)(i)	320 or 319.9 to 320.2...	3	B1 for angle $PLM = 64$ soi or for angle between LM and perpendicular from $M = 26$ soi or [$PM =$] 333.[1...] M1 for $\text{their } 356 \times \sin \text{their } 64$ oe or $\text{their } 356 \times \cos \text{their } 26$ oe
(b)(ii)	0257 or 257 am	3	B2 for 6 hours 12 mins or 372 mins seen or M1 for $248 \div 40$ oe If 0 scored, SC1 for their time in hours converted to hours and minutes

Question 31

(a)	128	2	M1 for $4 \times \frac{1}{2} \times 8 \times 8$ oe
(b)(i)	18.3 or 18.26 to 18.29...	3	M2 for $\frac{1}{4}(\pi \times 8^2 - \text{their } 128)$ oe or M1 for $\pi \times 8^2 - \text{their } 128$ oe or for $\frac{1}{4} \times \pi \times 8^2$ oe OR SC2dep for answer 4.56 to 4.57...
(b)(ii)	23.9 or 23.87 to 23.882	4	M3 for $\frac{90}{360} \times 2 \times \pi \times 8 + \sqrt{8^2 + 8^2}$ oe OR M1 for $\frac{90}{360} \times 2 \times \pi \times 8$ oe M1 for $\sqrt{128}$ oe OR SC3dep for answer 11.9 or 11.93 to 11.94...

Question 32

(a)(i)	116.6 or 116.56 to 116.57	4	M1 for $\sin[EAD] = \frac{6}{12}$ oe M1 for $\tan[BAC] = \frac{6}{12}$ oe B1 for [angle DAC] = 60
(a)(ii)	13.4 or 13.41 to 13.42	2	M1 for $12^2 + 6^2$
(a)(iii)	10.4 or 10.39...	3	M2 for $\sqrt{12^2 - 6^2}$ or M1 for $AE^2 + 6^2 = 12^2$
(a)(iv)	130 or 129.5... to 129.6	4	M1 for $0.5 \times 6 \times \text{their } AE$ oe M1 for $0.5 \times 12 \times 12 \times \sin 60$ oe M1 for $0.5 \times 6 \times 12$ oe
(b)(i)	3	1	
(b)(ii)	51.3 or 51.30 to 51.34...	4	M3 for $\tan = \frac{8}{\sqrt{4^2 + 5^2}}$ or $\sin = \frac{8}{\sqrt{4^2 + 5^2 + 8^2}}$ oe or M2 for $\sqrt{4^2 + 5^2}$ or $\sqrt{4^2 + 5^2 + 8^2}$ or M1 for angle ARB clearly indicated

Question 33

(a)	$8^2 + 7^2 - 2 \times 7 \times 8 \times \cos 78$ oe	M2	M1 for correct implicit version
	9.471.. to 9.472	A2	A1 for 89.7...
(b)	46.3 or 46.29 to 46.30...	3	M2 for $[\sin OAC =] \frac{7 \sin 78}{9.47}$ or M1 for $\frac{\sin OAC}{7} = \frac{\sin 78}{9.47}$
(c)	$29.5 - (7 + 8 + 9.47)$	M1	
	$\frac{360 \times (29.5 - (7 + 8 + 9.47))}{2 \times \pi \times 7}$	M3	M2 for $\frac{x}{360} \times 2 \times \pi \times 7 =$ their arc length oe or M1 for $\frac{x}{360} \times 2 \times \pi \times 7$ oe
	41.15 to 41.171..	B1	
(d)	45[.0] or 44.98 to 45.01 nfw	4	M3 for $\frac{1}{2} \times 8 \times 7 \times \sin 78$ oe + $\frac{41.2}{360} \times \pi \times 7^2$ oe OR M1 for $\frac{1}{2} \times 8 \times 7 \times \sin 78$ oe or $\frac{1}{2} \times 8 \times 9.47 \times \sin$ their (b) oe M1 for $\frac{41.2}{360} \times \pi \times 7^2$ oe

Question 34

(a)	370 or 370.2 to 370.3	2	M1 for $864 \div \textit{their time}$
(b)	991 or 990.5 ...	4	M2 for $864^2 + 928^2 - 2 \times 864 \times 928 \cos 67$ or M1 for correct implicit version A1 for 981100 to 981110
(c)(i)	313	2	M1 for $180 + 133$ or $360 - 47$
(c)(ii)	[0]79.5 to [0]79.6 ...	4	M2 for $\frac{928 \times \sin 67}{\textit{their } 991}$ or $\frac{864 \times \sin 67}{\textit{their } 991}$ oe or M1 for implicit form of either A1 for [angle $HGB =$] 59.5 to 59.6 ... or [angle $HBG =$] 53.4 or 53.37 to 53.42 M1 dep for $\textit{their angle } HGB + 20$ leading to answer or for $133 - \textit{their angle } HBG$ leading to answer

Question 35

(a)	132.26 to 132.28 or 132.3	5	B1 for angle ABO or angle $CBO = 90$ soi M1 for $\tan [XOB] = \frac{15}{8}$ oe M1 for $\tan [BOY] = \frac{22.4}{8}$ oe A1 for $[BOY =] 70.3 \dots$ or $[XOB =] 61.9 \dots$
(b)	18.4 or 18.5 or 18.43 to 18.48	2	M1 for $\frac{\textit{their (a)}}{360} \times 2 \times \pi \times 8$ oe
(c)	75.7 to 75.9	4	M1 for $\frac{1}{2}(15 + 22.4) \times 8$ oe M2 for $\frac{\textit{their (a)}}{360} \times \pi \times 8^2$ oe or M1 for one sector either $\frac{\textit{inv tan}\left(\frac{15}{8}\right)}{360} \times \pi \times 8^2$ oe or $\frac{\textit{inv tan}\left(\frac{22.4}{8}\right)}{360} \times \pi \times 8^2$ oe

Question 36

(a)	42.2 or 42.23....	2	M1 for $\frac{1}{2} \times 8.9 \times 12.5 \times \sin 130.6$ oe
(b)(i)	27[.0] or 27.00 to 27.01	3	M2 for $\frac{11.6 \times \sin 123.5}{21.3}$
(b)(ii)	15.9 or 15.90 to 15.91	5	M1 for angle $ABD = \text{their angle } BCD + 33.5$ and M2 for $11.6^2 + 18^2 - 2 \times 11.6 \times 18 \times \cos(\text{their } ABD)$ or M1 for implicit version A1 for 252.9 to 253

Question 37

(a)	5.83 or 5.832 to 5.833	5	B2 for sector angle = 210 soi or M1 for $[\cos DOE =] \frac{0.25}{0.5}$ oe M2 for $\frac{\text{their } 210}{360} \times 2 \times \pi \times 0.5 + 2 \times 1.5 + 2 \times 0.5$ oe or M1 for $\frac{\text{their } 210}{360} \times 2 \times \pi \times 0.5$ oe isw
(b)	1.21 or 1.208...	3	M2 for $\frac{\text{their } 210}{360} \times \pi \times 0.5 \times 0.5 + 1.5 \times 0.5$ oe or M1 for $\frac{\text{their } 210}{360} \times \pi \times 0.5 \times 0.5$ oe isw

Question 38


(a)(i)	$\angle ACD = 46$ soi or $\angle CDE = 44$ soi	B2	B1 for angle $ADC = 108$ or angle $DCB = 18$
	$\frac{58 \sin 108}{\sin \text{their} 46}$	M2	M1 for $\frac{\sin 108}{x} = \frac{\sin \text{their} 46}{58}$ oe
	76.68... nfw	A1	
(a)(ii)	10.9 or 10.91 to 10.94	3	B2 for $[AB =] 68.9$ or 68.91 to 68.94 or M2 for a correct explicit statement for AB or BD or M1 for $\frac{AB}{76.7} = \cos 26$ oe
(b)(i)	10.4 or 10.43 to 10.44	4	M3 for $\sqrt{\frac{70}{\sin 40}}$ oe or M2 for $x^2 \times \sin 40 = 70$ oe or M1 for $\frac{1}{2}x \times 2x \times \sin 40 = 70$
(b)(ii)	140	1	

Question 39

(a)(i)	15.7 or 15.70...	4	M2 for $16.5^2 + 12.4^2 - 2 \times 16.5 \times 12.4 \times \cos 64$ or M1 for implicit form A1 for 246 to 247
(a)(ii)	18.7 or 18.68 to 18.69	4	B1 for 32 or angle $DBM = 37$ or angle $CBM = 58$ M2 for $\frac{12.4 \times \sin 53}{\sin 32}$ oe or M1 for implicit form oe
(b)(i)	116.1 or 116.08 to 116.09...	2	M1 for $\frac{y}{360} \times 2 \times \pi \times 3.8 = 7.7$ oe
(b)(ii)	14.6 or 14.61 to 14.63...	2	M1 for $\frac{\text{their}(b)(i)}{360} \times \pi \times 3.8^2$ oe

Question 40

(a)	530	4	B3 for $[DE] = 130$ m and $[DC] = 80$ m or B2 for $[DE] = 130$ m or $[DC] = 80$ m or M1 for $50^2 + 120^2$ or $170^2 - 150^2$
(b)	52.9 or 52.89...	4	M2 for $\frac{100^2 + 150^2 - 120^2}{2 \times 100 \times 150}$ or M1 for $120^2 = 100^2 + 150^2 - 2 \times 100 \times 150 \cos(\dots)$ A1 for 0.603 or 0.6033... or $\frac{181}{300}$
(c)(i)	28.1 or 28.07...	2	M1 for $\cos = \frac{15}{17}$ oe
(c)(ii)	331.9 or 331.9...	2	FT 360 – <i>their</i> (c)(i) M1 for 360 – <i>their</i> (c)(i) oe
(d)	1.5[0] or 1.498... nfw	4	M1 for $\frac{1}{2} \times 50 \times 120$ oe M1 for $\frac{1}{2} \times 100 \times 150 \sin(\text{their}(\mathbf{b}))$ oe M1 for $\frac{1}{2} \times 150 \times \text{their}CD$ oe or $\frac{1}{2} \times 150 \times 170 \times \sin \text{their}(\mathbf{c})(\mathbf{i})$ If 0 scored, SC1 for dividing <i>their</i> area by 10 000



Question 41

(a)	36.8 or 36.84...	2	M1 for $\frac{h}{107} = \tan 19$ or $\frac{h}{\sin 19} = \frac{107}{\sin 71}$ oe or better
(b)	42.1 or 42.12... from cosine rule	4	M2 for $[\cos BAC =] \frac{158^2 + 132^2 - 107^2}{2 \times 158 \times 132}$ or M1 for implicit version A1 for $[\cos BAC =] \frac{30939}{41712}$ or 0.7417...
(c)	35.8 or 35.84... from sine rule	3	M2 for $\frac{86 \times \sin 116}{132} [= 0.58557...]$ or M1 for $\frac{\sin CAD}{86} = \frac{\sin 116}{132}$ oe
(d)	9670 or 9669 to 9676	3	M2 for $\frac{1}{2} \times 158 \times 132 \times \sin(\text{their (b)})$ oe and $\frac{1}{2} \times 86 \times 132 \times \sin(64 - \text{their (c)})$ oe or M1 for either area
(e)	214.2 or 214.1... or 214	2	M1 for $[180 +] 70 - \text{their (c)}$ oe

Question 42

(i)	13.9[0...] from cosine rule	4	M2 for $8^2 + 13^2 - 2 \times 8 \times 13 \cos 79$ or M1 for $\cos 79 = \frac{13^2 + 8^2 - BC^2}{2 \times 8 \times 13}$ A1 for 193
(ii)	66.6 or 66.60... to 66.65 from sine rule	3	M2 for $[\sin ACB =] \frac{13 \times \sin 79}{\text{their(a)(i)}}$ or M1 for $\frac{\sin ACB}{13} = \frac{\sin 79}{\text{their(a)(i)}}$ oe

Question 43

(a)	4.29 or 4.285 to 4.286	3	M2 for $\frac{150}{\frac{450}{3.6} - \frac{120}{4} - \frac{180}{3}}$ or M1 for [time =] $120 \div 4$ or $180 \div 3$ or $450 \div 3.6$ or $3.6 = \frac{150 + 180 + 120}{\text{total time}}$
(b)	82.8 or 82.81 to 82.82 using cosine rule	4	M2 for $\frac{150^2 + 120^2 - 180^2}{2 \times 150 \times 120}$ or M1 for $180^2 = 120^2 + 150^2 - 2 \times 120 \times 150 \cos(\dots)$ A1 for $\frac{4500}{36000}$ oe
(c)(i)	127.2 or 127.1 to 127.2 or 127	1	FT 210 – <i>their</i> (b)
(c)(ii)	307.2 or 307.1 to 307.2 or 307	2	FT 180 + <i>their</i> (c)(i) M1 for 180 + <i>their</i> (c)(i)
(d)	15 or 14.99 to 15.04	2	M1 for $\cos(\textit{their} (b)) = \frac{\text{dist}}{120}$ oe

Question 44

(i)	2.67 or 2.666...	3	M2 for $\frac{6 \times \sin 25}{\sin 72}$ or M1 for implicit version
(ii)	4.14 or 4.140...	3	M1 for $6^2 + 7.4^2 - 2 \times 6 \times 7.4 \times \cos 34$ A1 for 17.1 to 17.2
(iii)	20.4 or 20.35 to 20.36...	4	B1 for angle $SQR = 83$ M1 for $\frac{1}{2} \times 6 \times \textit{their} (a)(i) \times \sin \textit{their} (180 - 72 - 25)$ oe M1 for $\frac{1}{2} \times 6 \times 7.4 \times \sin 34$ oe

Question 45

(a)(i)	29.5 or 29.50...	4	M2 for $\frac{11^2 + 5.3^2 - 6.9^2}{2 \times 11 \times 5.3}$ or M1 for $6.9^2 = 11^2 + 5.3^2 - 2 \times 11 \times 5.3 \cos x$ A1 for 0.87[0...] oe
(a)(ii)	13.4 or 13.38...	4	B1FT 84 – <i>their (a)(i)</i> M2 for $\frac{11}{\sin 42} \times \sin \text{their } 54.5$ or M1 for implicit form
(b)	2700	4	M2 for $15 \times 2.5 \times 20 \times 60 \times 60$ or M1 for $15 \times 2.5 \times 20$ M1 for <i>their</i> volume $\div 1000$ If 0 scored, SC1 for figs 27 with no working

Question 46

(a)	[0]38 or [0]37.9 or [0]37.87...	2	M1 for $\tan = \frac{350}{450}$ oe If 0 scored, SC1 for answer [0]52 or [0]52.1 or [0]52.12 to [0]52.13
(b)	624 or 623.8 to 623.9	6	M2 for $450 - 400 \sin 50$ or M1 for $\sin 50 = \frac{\dots}{400}$ M2 for $350 + 400 \cos 50$ or M1 for $\cos 50 = \frac{\dots}{400}$ M1 for $(\text{their } (450 - 400 \sin 50))^2 + (\text{their } (350 + 400 \cos 50))^2$
(c)	10 min 8 s	4	B3 for 10.1 or 10.13... or M2 for $(400 + 350 + 450 + \text{their } DA) \div 3 [\div 60]$ oe or M1 for any distance $\div 3$ M1 for rounding <i>their</i> minutes into minutes and seconds to nearest second if clearly seen

Question 47

(a)	65.4 or 65.36 to 65.37	3	M1 for $150^2 + 120^2 - 2 \times 150 \times 120 \cos 25$ A1 for 4270 or 4272 to 4273
(b)	125 or 124.7 to 124.8	4	B1 for [angle S=] 80 M2 for $\frac{150 \sin 55}{\sin \text{their} 80}$ or M1 for $\frac{\sin \text{their} 80}{150} = \frac{\sin 55}{RS}$ oe
(c)	10 400 or 10 410 to 10 440 nfw	3	M1 for $\frac{1}{2} \times 120 \times 150 \sin 25$ oe M1 for $\frac{1}{2} \times 150 \times \text{their (b)} \sin 45$ oe

Question 48

(a)	39[.0] or 39.03 to 39.04...	3	M2 for $\frac{165}{360} \times 2 \times \pi \times 8 + 16$ or M1 for $\frac{165}{360} \times 2 \times \pi \times 8$
(b)	2.71 or 2.708...	4	M3 for $\sqrt{\frac{\frac{165}{360} [\times \pi] \times 8^2}{4 [\times \pi]}}$ oe or M2 for $r^2 = \frac{\frac{165}{360} [\times \pi] \times 8^2}{4 [\times \pi]}$ oe or M1 for $\frac{165}{360} \times \pi \times 8^2$ oe seen
(c)(i)	3.67 or 3.666 to 3.667	2	M1 for $\frac{165}{360} \times 2 [\times \pi] \times 8 = 2 [\times \pi] \times r$ or better or for $\frac{165}{360} [\times \pi] \times 8^2 = [\pi \times] r \times 8$ or better
(c)(ii)	100 or 100.0 to 100.1... final answer	4	M3 for $\frac{1}{3} \pi \times \text{their (c)(i)}^2 \times \sqrt{8^2 - \text{their radius}^2}$ or M2 for $\sqrt{8^2 - \text{their radius}^2}$ or M1 for $(\text{their (c)(i)})^2 + h^2 = 8^2$

Question 49

(a)	$[BC^2 =] 80^2 + 115^2 - 2 \times 80 \times 115 \cos 72$ oe	M1	
(b)	118.06... 67.8 or 67.9 or 67.83 to 67.88	A2 3	A1 for 13939... M2 for $[\sin B =] \frac{115 \times \sin 72}{118.1}$ oe or M1 for $\frac{115}{\sin B} = \frac{118.1}{\sin 72}$ oe
(c)(i)	255	3	B1 for bearing of <i>B</i> from <i>A</i> is 75 soi M1 for $180 + 75$ oe
(c)(ii)	[00]7.2	2	M1 for <i>their</i> (c)(i) – <i>their</i> (b) –180
(d)	11.8 or 11.82 to 11.83	3	M1 for $115 \div 35$ oe M1 for <i>their</i> speed in m/s $\times 60 \times 60 \div 1000$
(e)	76.1 or 76.08 to 76.09	3	M2 for $\frac{\text{distance}}{80} = \sin 72$ oe or M1 for distance required is perpendicular to <i>AC</i> soi

Question 50

(a)	440	2	M1 for $8 \times 5 \times 11$
(b)	$\sqrt{8^2 + 5^2 + 11^2}$ oe or $8^2 + 5^2 + 11^2$ and 13^2 <u>ALTERNATIVE</u> $\sqrt{8^2 + 11^2}$ or $8^2 + 11^2$ and 13^2	M3	M2 for $8^2 + 5^2 + 11^2$ or $8^2 + 11^2$ oe or M1 for $8^2 + 5^2$ or $5^2 + 11^2$ oe
	Yes and 14.5 or 14.4 or 14.49... or Yes and 13.6[0...]	A1	Accept equivalent conclusion
(c)(i)	32.0[...]	2	M1 for $\tan[.] = \frac{5}{8}$ oe
(c)(ii)	49.4 or 49.38 to 49.39	2	M1 for $\sin[.] = \frac{11}{\text{their } AG}$ oe

Question 51


(a)(i)	106.01 to 106.02	4	M2 for $[\cos[\angle CBD] =] \frac{192^2 + 168^2 - 287.9^2}{2 \times 192 \times 168}$ oe or M1 for the implicit form A1 for -0.276 to -0.275
(a)(ii)	292.0 or 291.98 to 291.99	1	
(a)(iii)	310.0 or 310.03 to 310.04	5	M2 for $[\sin A =] \frac{168 \times \sin(90 - 38)}{205.8}$ or M1 for $\frac{\sin A}{168} = \frac{\sin(90 - 38)}{205.8}$ A1 for $[A =] 40.0$ or 40.03 to 40.04 M1 dep for $270 + \text{their angle } DAB$ oe
(b)(i)	15 500 or 15 501 to 15 503. ...	2	M1 for $0.5 \times 192 \times 168 \times \sin(106)$ oe
(b)(ii)	55 400	2	FT $3.575 \times \text{their (b)(i)}$ oe rounded to nearest 100 M1 for figs $35\ 75 \times \text{figs their (b)(i)}$ or figs 554 or figs 5541 to figs 5543

Question 52

(a)	27[.0] or 26.97... nfw	3	M2 for $[\cos =] \frac{8.6^2 + 9.7^2 - 4.4^2}{2 \times 8.6 \times 9.7}$ or M1 for implicit form
(b)	9.19 or 9.192 to 9.193	4	B1 for $[\text{angle } BCD =] 73$ seen M2 for $\frac{9.7 \times \sin 65}{\sin(180 - 65 - 42)}$ oe or M1 for $\frac{\sin(180 - 65 - 42)}{9.7} = \frac{\sin 65}{DC}$ oe
(c)	6.15 or 6.149 to 6.151...	3	M2 for $\frac{d}{\text{their } 9.19} = \sin 42$ oe or M1 for right angle between line from C to BD and BD soi

Question 53

(a)	42.3 or 42.28 to 42.30...	<p>7</p> <p>M1 for $\frac{AB}{14} = \cos 35$ oe</p> <p>M1 for $\frac{AD}{14} = \sin 35$ oe</p> <p>B1 for $[C =] 75$</p> <p>M3 for $[BC =] \frac{14 \sin 60}{\sin their 75}$ oe</p> <p>and $[DC] \frac{14 \sin 45}{\sin their 75}$ oe</p> <p>or M2 for $\frac{14 \sin 60}{\sin their 75}$ or $\frac{14 \sin 45}{\sin their 75}$ oe</p> <p>or M1 for $\frac{\sin their 75}{14} = \frac{\sin 60}{BC}$ oe</p> <p>or $\frac{\sin their 75}{14} = \frac{\sin 45}{CD}$ oe</p>
(b)(i)	4.91 or 4.907...	<p>3</p> <p>B2 for $[l^2 =] 24.1$ or $24.08...$</p> <p>or M2 for $\sqrt{3} l = 8.5$ or $[l =] \sqrt{\frac{8.5^2}{3}}$ oe</p> <p>or M1 for $l^2 + l^2 + l^2 = 8.5^2$ oe</p>
(b)(ii)	35.3 or 35.26 to 35.3 nfw	<p>3</p> <p>M2dep for $\sin(\text{angle}) = \frac{\text{their (b)(i)}}{8.5}$ oe</p> <p>or M1 for clear recognition of correct angle</p>



Question 54


(a)	$\sqrt{16^2 + 19^2 - 2 \times 16 \times 19 \cos 57}$ oe	M2	or M1 for $16^2 + 19^2 - 2 \times 16 \times 19 \cos 57$ A1 for 285.8 to 285.9
i(b)	16.90 to 16.91 74.3 or 74.30 to 74.33	A1 4	M2 for $[\sin \dots =] \frac{16.9 \times \sin 75}{32}$ oe or M1 for $\frac{16.9}{\sin C} = \frac{32}{\sin 75}$ oe B1 for [angle $BCD =$] 30.7 or 30.67 to 30.69... or M1dep for 105 – <i>their</i> angle BCD
i(c)	388 or 387.7 to 387.9... nfw	3	M1 for $\frac{1}{2} \times 16 \times 19 \times \sin 57$ oe M1 for $\frac{1}{2} \times 16.9 \times 32 \times \sin$ <i>their</i> (b) oe
i(d)	13.4 or 13.41 to 13.42 nfw	3	M2 for $\frac{x}{16} = \sin 57$ oe or M1 for distance required is perpendicular to AD soi

Question 55

(a)	13.5 or 13.47...	4	B1 for angle 102 seen M2 for $\sqrt{10.6^2 + 6.4^2 - 2 \times 10.6 \times 6.4 \times \cos(180 - 78)}$ OR M1 for $10.6^2 + 6.4^2 - 2 \times 10.6 \times 6.4 \times \cos(180 - 78)$ A1 for 181.5...
(b)	8.68 or 8.682 to 8.683 nfw	4	B1 for angle = 44 M2 for $\sin(180 - 58 - 78) \times \frac{10.6}{\sin 58}$ oe or M1 for $\frac{\sin(180 - 58 - 78)}{x} = \frac{\sin 58}{10.6}$ oe
(c)	78.2 or 78.17 to 78.19...	3	M2 for $\frac{1}{2} \times 10.6 \times (6.4 + \text{their } 8.68) \times \sin(78)$ OR M1 for $\frac{1}{2} \times 10.6 \times 6.4 \times \sin(180 - 78)$ oe M1 for $\frac{1}{2} \times 10.6 \times \text{their } 8.68 \times \sin 78$ oe

Question 56

(a)	9.33 or 9.334...	3	M2 for $\frac{12 \sin 50}{\sin 100}$ or M1 for $\frac{\sin 100}{12} = \frac{\sin 50}{AD}$ oe
(b)	[cos =] $\frac{11^2 + 12^2 - 8^2}{2 \times 11 \times 12}$	M2	M1 for $8^2 = 11^2 + 12^2 - 2 \times 11 \times 12 \cos(BAC)$
	40.415...	A2	A1 for 0.761... or $\frac{201}{264}$ or $\frac{67}{88}$
(c)	70.8 or 70.77 to 70.79...	3	M1 for $\frac{1}{2} \times 12 \times \text{their (a)} \times \sin(180 - 100 - 50)$ M1 for $\frac{1}{2} \times 12 \times 11 \times \sin(40.42)$
(d)	7.13 or 7.131 to 7.132...	3	M2 for $\frac{\text{dist}}{11} = \sin(40.42)$ or M1 for recognition that shortest distance is perpendicular to AC



Question 57

(a)(i)	$\frac{AD}{46.1} = \tan 64$ oe or better	M1
	94.51 to 94.52	A1
(a)(ii)	46[.0] or 45.96... nfwv	3 M2 for $56.5 \times \frac{\sin 94}{78.4}$ oe or M1 for $\frac{56.5}{\sin BAC} = \frac{78.4}{\sin 94}$ oe
(a)(iii)	102.3 or 102.4 or 102.34 to 102.38	4 M2 for $[\cos C =] \frac{38.6^2 + 78.4^2 - 94.5^2}{2 \times 38.6 \times 78.4}$ or M1 for $94.5^2 = 38.6^2 + 78.4^2 - 2 \times 38.6 \times 78.4 \times \cos C$ and A1 for -0.214 or -0.2144 to -0.2137 If 0 scored, SC2 for $[CAD =] 23.5$ or 23.51 to 23.52 or for $[CDA =] 54.1$ or 54.14...
(b)	16.2 or 16.15...	3 M2 for $\frac{1}{2} \times 21.5 \times 27.6 \sin 111 = \frac{1}{2} \times 34.3 \times d$ oe or M1 for $\frac{1}{2} \times 21.5 \times 27.6 \sin 111$ seen or $\frac{1}{2} \times 34.3 \times d$ oe soi

Question 58

85[.0], 265[.0] and no others	2 B1 for each If 0 scored SC1 for two values in the range with a difference of 180 but not multiples of 90
-------------------------------	--

Question 59

(a)(i)	40.9 or 40.91...	3	<p>M2 for $[\sin ABC =] \frac{29.5 \sin 51.6}{35.3}$ oe</p> <p>or for $[\cos ABC =] \frac{35.3^2 + 45^2 - 29.5^2}{2 \times 35.3 \times 45}$</p> <p>or M1 for $\frac{29.5}{\sin ABC} = \frac{35.3}{\sin 51.6}$ oe</p> <p>or for correct implicit cosine rule</p>
(a)(ii)	520 or 520.0 to 520.2...	2	<p>FT <i>their</i> (a)(i) if used provided working shown</p> <p>M1 for $0.5 \times 29.5 \times 45 \times \sin 51.6$ oe</p> <p>or for $0.5 \times 35.3 \times 45 \times \sin(\text{their}(a)(i))$</p> <p>or for $0.5 \times 35.3 \times 29.5 \sin(180 - 51.6 - \text{their}(a)(i))$</p>
(b)(i)	41.2 or 41.21 to 41.23	4	<p>M1 for $SQ = 2 \times 32 \times \sin\left(\frac{1}{2} \times 56\right)$ oe</p> <p>or $\sqrt{32^2 + 32^2 - 2 \times 32 \times 32 \times \cos 56}$ oe</p> <p>or $\frac{32 \sin 56}{\sin((180 - 56) \div 2)}$ oe</p> <p>M2 for</p> <p>$SR^2 = 47^2 + (\text{their } SQ^2) - 2 \times 47 \times \text{their } SQ \times \cos 60$</p> <p>or M1 for implicit form</p>
(b)(ii)	28.3 or 28.25 to 28.29...	3	<p>M2 for $32 \times \sin 62$ oe</p> <p>or M1 for recognition that line from <i>P</i> is perpendicular to <i>SQ</i></p>

Question 60

(a)	20.8 or 20.76 to 20.79	4	<p>B3 for $[BC =] 10.4$ or 10.38 to $10.39...$ or $6\sqrt{3}$ oe</p> <p>or M2 for $(2x)^2 + x^2 + 6^2 = 24^2$ oe</p> <p>or M1 for $24^2 - 6^2$ oe or $x^2 + 6^2$ oe</p> <p>or $(2x)^2 + 6^2$ oe, or $x^2 + (2x)^2$ oe</p> <p>or SC2 for final answer of $12\sqrt{5}$ or 26.8 or $26.83...$</p>
(b)	14.5 or 14.47 to 14.48	3	<p>M2 for $\sin [...] = \frac{6}{24}$ oe</p> <p>or M1 for recognising the correct angle <i>GAC</i></p>

Question 61

'(a)	87.[0] or 86.98 to 86.99	3	<p>M2 for $\sqrt{82^2 + 55^2 - 2 \times 82 \times 55 \times \cos 76}$ oe OR M1 for $82^2 + 55^2 - 2 \times 82 \times 55 \times \cos 76$ oe A1 for 7570 or 7566 to 7567</p>
'(b)	66.1 or 66.2 or 66.13 to 66.17	3	<p>M2 for $\frac{82 \times \sin 76}{\text{their (a)}}$ oe or M1 for $\frac{82}{\sin C} = \frac{\text{their (a)}}{\sin 76}$ oe</p>
'(c)	13.3 or 13.30 to 13.31	3	<p>M2 for $AG = 55 \cos 76$ oe or M1 for recognition that CG is perpendicular to AB</p>
'(d)	54.1 or 54.13... and 125.9 or 125.86 to 125.87	5	<p>B4 for 54.1 or 54.13... or 125.9 or 125.86 to 125.87 M3 for $[\sin Q =] \frac{0.5 \times 82 \times 55 \times \sin 76}{0.5 \times 90 \times 60}$ oe or M2 for $0.5 \times 82 \times 55 \times \sin 76 = 0.5 \times 60 \times 90 \times \sin Q$ oe or M1 for $0.5 \times 82 \times 55 \times \sin 76$ oe or for $0.5 \times 60 \times 90 \sin Q = \text{their area of } ABC$ If B4 not scored then SC1 for two angles seen that sum to 180 (from use of sine ratio) but not 0 and 180.</p>

Question 62

(a)	7.06 or 7.058... or 7.059	3	<p>M2 for $\sqrt{6.4^2 + 10.9^2 - 2 \times 6.4 \times 10.9 \times \cos 38}$ oe</p> <p>OR</p> <p>M1 for $6.4^2 + 10.9^2 - 2 \times 6.4 \times 10.9 \times \cos 38$ oe</p> <p>A1 = 49.8...</p>
(b)(i)	97	1	
(b)(ii)	15.3[0...]	3	<p>M2 for $[AB =] \frac{10.9 \times \sin \text{their } 97}{\sin 45}$</p> <p>or M1 for $\frac{\sin \text{their } 97}{AB} = \frac{\sin 45}{10.9}$ oe</p>
(c)	72.8 to 72.81...	3	<p>M2 for</p> <p>$\frac{1}{2}(6.4) \times 10.9 \times \sin 38 + \frac{1}{2} \text{their } 15.3 \times 10.9 \times \sin 38$</p> <p>oe</p> <p>or M1 for $\frac{1}{2} \times 6.4 \times 10.9 \times \sin 38$ oe</p> <p>or $\frac{1}{2} \times \text{their } 15.3 \times 10.9 \times \sin 38$ oe</p> <p>or M1 for height = $10.9 \times \sin 38$ oe</p>

Question 63

(a)	39.6 or 39.57....	4	<p>M2 for $[\cos =] \frac{14^2 + 12^2 - 9^2}{2 \times 14 \times 12}$</p> <p>or M1 for $9^2 = 14^2 + 12^2 - 2 \times 14 \times 12 \times \cos ACD$</p> <p>A1 for 0.7708... or 0.771 or $\frac{37}{48}$ oe</p>
(b)	$\frac{14 \sin 25}{\sin 123}$	M2	M1 for $\frac{\sin 123}{14} = \frac{\sin 25}{BC}$ oe
	7.054...	A1	
(c)	3.74 or 3.735 to 3.739	3	<p>M2 for $7.05 \times \sin 32$</p> <p>or M1 for recognition that the line from B is perpendicular to AC</p>
(d)	11.8 or 11.83 to 11.85	4	<p>M1 for $32 + \text{their}(a)$ soi</p> <p>M2 for</p> <p>$12^2 + 7.05^2 - 2 \times 12 \times 7.05 \times \cos(\text{their}(a) + 32)$</p> <p>or M1 for $\cos(\text{their}(a) + 32) = \frac{12^2 + 7.05^2 - BD^2}{2 \times 12 \times 7.05}$</p>
(e)	309.6 or 309.57...	2	<p>FT $270 + \text{their}(a)$</p> <p>M1 for $270 + \text{their}(a)$ oe</p>


Question 64

(a)	$[\cos B =] \frac{9.5^2 + 7.7^2 - 10^2}{2 \times 9.5 \times 7.7}$ oe	M2	M1 for $10^2 = 9.5^2 + 7.7^2 - 2 \times 9.5 \times 7.7 \cos B$ oe or better
	70.206 to 70.207 or 70.21 to 70.22	A2	A1 for $\frac{2477}{7315}$ oe or 0.339 or 0.3386....
(b)(i)	140.4	1	
(b)(ii)	19.8	1	FT (180 – their (b)(i)) ÷ 2
(b)(iii)	70.2	1	FT 90 – their (b)(ii)
(c)	5.31 or 5.314 to 5.315	3	M2 for $\frac{5}{\cos \text{their (b)(ii)}}$ oe or M1 for $\frac{5}{r} = \cos(\text{their (b)(ii)})$ oe
(d)	38.8 or 38.9 or 38.78 to 38.85	4	M3 for $\frac{0.5 \times 9.5 \times 7.7 \times \sin 70.2}{\pi \times (\text{their (c)})^2} [\times 100]$ OR M1 for $0.5 \times 9.5 \times 7.7 \times \sin 70.2$ M1 for $\pi \times (\text{their (c)})^2$

Question 65

(a)	42.05 final answer	2	M1 for $11.4 + 0.05$ oe or $14.8 + 0.05$ oe or $15.7 + 0.05$ oe
(b)	319 or 318.5 to 318.6	2	M1 for $\frac{150}{360} \times \pi \times 15.6^2$ oe
(c)	$\frac{360-x}{360} \times 2\pi r + 2r = 3 \left(\frac{x}{360} \times 2\pi r + 2r \right)$ oe	M2	M1 for $\frac{x}{360} \times 2\pi r$ oe seen or $\frac{360-x}{360} \times 2\pi r$ oe seen
	$\frac{4x}{360} \times 2\pi[r] = 2\pi[r] - 4[r]$ oe	M1	i.e. M mark for isolating and collecting terms in x
	Leading to $\frac{90(\pi-2)}{\pi}$	A1	With no errors or omissions

Question 66

(a)	Correct sketch to go through (0, 0), and (360, 0) 	2	M1 for correct sine curve shape through the origin or for almost correct sketch fitting all tramlines but with an omission at either end or incorrect curvature in one place only
(b)	233.1 or 233.13... and 306.9 or 306.86 to 306.87	3	B2 for one correct angle or M1 for $\sin x = -0.8$ oe If 0 scored SC1 for 2 reflex angles that add to 540 or two non-reflex angles that add to 180


Question 67

(a)(i)	52.[0] or 52.01...	4	M2 for $[\cos P =] \frac{39.4^2 + 46.5^2 - 38.2^2}{2 \times 39.4 \times 46.5}$ oe or M1 for $38.2^2 = 39.4^2 + 46.5^2 - 2 \times 39.4 \times 46.5 \times \cos P$ oe A1 for 0.616 or 0.6155...
(a)(ii)	36.6 or 36.64 to 36.65	3	M2 for $\frac{d}{46.5} = \sin(\text{their } 52.01)$ oe or M1 for recognition that the line from Q is perpendicular to PR
(b)(i)	41.[0] or 41.01... nfw	3	M2 for $29^2 + 21^2 + 20^2$ oe or better or M1 for $29^2 + 21^2$ oe or $29^2 + 20^2$ oe or $21^2 + 20^2$ oe or better
(b)(ii)	29.2 or 29.18 to 29.2	3	M2 for $\sin[GAC] = \frac{20}{\text{their } AG}$ oe or M1 for angle GAC identified
(c)	bearing 286	B2	B1 for angle $MLK = 49$ or for angle $MKL = 35$ correctly identified or angle from North to $ML = 106$
	distance 64.6 or 64.59...	B3	M2 for $\frac{112 \times \sin(\text{their } 35)}{\sin(96)}$ oe or M1 for the implicit form

Question 68

(a)	$[\cos =] \frac{15^2 + 8^2 - 20^2}{2.15.8}$	M2	M1 for $20^2 = 15^2 + 8^2 - 2.15.8 \cos()$
	117.54 to 117.55	A2	A1 for $-\frac{37}{80}$ or $-\frac{111}{240}$ or $-[0].4625$
(b)	53.2 or 53.19 to 53.23	2	M1 for $0.5 \times 8 \times 15 \times \sin(117.5)$ oe
(c)	15.5 or 15.52 to 15.53	2	M1 for $15^2 + 4^2$ oe
(d)	7.1 or 7.13 or 7.125 to 7.126	3	M2 for $\tan [P] = \frac{4-3}{8}$ oe or for 7.1 or 7.13 or 7.125 to 7.126 seen or M1 for vertical line = $4 - 3$ soi After 0 scored SC1 for correct angle identified
(e)	11.5 nfw or 11.48 to 11.49...	5	B1 for height of 3.5 soi M2 for $15^2 + 4^2 - 2.15.4 \cos(117.5)$ or M1 for $\cos 117.5 = \frac{15^2 + 4^2 - (...)^2}{2.15.4}$ M1 for $\tan = \frac{3.5}{\text{their } 17.216...}$ oe After M0 scored SC1 for correct angle identified

Question 69

(a)	<p>Correct sketch</p> 	<p>2 Condone curve touching asymptotes but not crossing</p> <p>B1 for one section correct</p> <p>or for 3 sections in correct part of graph but with incorrect curvature and no other sections in incorrect part of graph</p>
(b)	30 and 210 final answer	<p>2 B1 for each</p> <p>If 0 scored SC1 for two answers (one acute and one reflex) with a difference of 180</p>



Question 70

(a)	$\cos 31 = \frac{AB}{12.3}$ oe	M1
	10.543...	A1
(b)	$\cos = \frac{12.3}{16.5}$ oe	M1
	41.801 to 41.802	A1
(c)	16.7 or 16.8 or 16.74 to 16.75...	<p>3 M2 for $\sqrt{10.54^2 + 16.5^2 - 2 \times 10.54 \times 16.5 \times \cos(31 + 41.8)}$</p> <p>or for $\sqrt{6.33^2 + 11^2 - 2 \times 6.33 \times 11 \times \cos(180 - 31)}$</p> <p>OR</p> <p>M1 for $10.54^2 + 16.5^2 - 2 \times 10.54 \times 16.5 \times \cos(31 + 41.8)$</p> <p>or for $6.33^2 + 11^2 - 2 \times 6.33 \times 11 \times \cos(90 + 90 - 31)$ oe</p> <p>A1 for 280 or 281 or 280.4 to 280.6</p>
(d)	18.9 to 20.7... nfw	<p>4 M1 for $\sin 31 = \frac{BC}{12.3}$ oe or better and</p> <p>$\sin 41.8[0] = \frac{CD}{16.5}$ oe</p> <p>M2dep on M1 for</p> $\cos [DBC] = \frac{\text{their}(c)^2 + 6.34^2 - 10.998^2}{2 \times \text{their}(c) \times 6.34}$ <p>or M1dep on M1 for</p> $10.998^2 = \text{their}(c)^2 + 6.34^2 - 2 \times \text{their}(c) \times 6.34 \times \cos DBC$
(e)	2.05 to 2.24... nfw	<p>4 M1 for $\sin 31 = \frac{BC}{12.3}$ oe or better</p> <p>or $\sin 41.8[0] = \frac{CD}{16.5}$ oe</p> <p>M2dep on M1 for $\frac{\text{dist}}{\text{their}BC} = \sin(\text{their angle } CBD)$</p> <p>or $\frac{\text{dist}}{\text{their}CD} = \sin(\text{their angle } CDB)$</p> <p>or M1 for recognition of shortest distance</p>

Question 71

(a)(i)	311 or 311.0 to 311.1	3	<p>M2 for $11 \times 11 + 2 \times \frac{1}{4} \times \pi \times 11^2$ oe</p> <p>or M1 for $[2 \times] \frac{1}{4} \times \pi \times 11^2$ or 11×11 oe</p>
(a)(ii)	78.6 or 78.55 to 78.56...	3	<p>M2 for $4 \times 11 + 2 \times \frac{1}{4} \times 2 \times \pi \times 11$ oe</p> <p>or M1 for $[2 \times] \frac{1}{4} \times 2 \times \pi \times 11$ or 4×11 oe</p>
(b)	35.2 or 35.3 or 35.239... to 35.28	4	<p>M3 for $[\tan =] \frac{7}{\sqrt{7^2 + 7^2}}$</p> <p>or $[\sin =] \frac{7}{\sqrt{7^2 + 7^2 + 7^2}}$</p> <p>or $[\cos =] \frac{\sqrt{7^2 + 7^2}}{\sqrt{7^2 + 7^2 + 7^2}}$</p> <p>OR</p> <p>M2 for $AG = \sqrt{7^2 + 7^2 + 7^2}$</p> <p>or for $\sqrt{7^2 + \left(\frac{7}{\sin 45}\right)^2}$ oe</p> <p>or for $AC = \sqrt{7^2 + 7^2}$ or $\frac{7}{\sin 45}$ oe</p> <p>OR</p> <p>M1 for $7^2 + 7^2$ or for implicit trigonometry or identifying correct angle</p>

Question 72

(a)	Cubic	1	
(b)(i)	Correct sketch 	2	B1 for one branch correct or an attempt at the correct shape Maximum 1 mark if sketch crosses x -axis or y -axis
(b)(ii)	$\pm \frac{1}{2}$ nfw	2	M1 for $4x^2 = 1$ oe or B1 for $\frac{1}{2}$ or $-\frac{1}{2}$ nfw
(c)(i)	Correct sketch through $(0, 0)$ $(180, 0)$ and $(360, 0)$ with max and min at 1 and -1 resp. 	2	B1 for correct sine curve shape, starting at the origin, with minimum of 1 cycle.
(c)(ii)	199.5 or 199.47... and 340.5...	3	B2 for one correct or M1 for $\sin x = -\frac{1}{3}$ oe If 0 scored, SC1 for two reflex angles with a sum of 540 or 2 non-reflex angles with a sum of 180

Question 73

(a)(i)	2[.00] or 2.002 to 2.003 nfw	3	M2 for $\sqrt{4.8^2 + 5.6^2 - 2 \times 4.8 \times 5.6 \times \cos 20.4}$ OR M1 for $4.8^2 + 5.6^2 - 2 \times 4.8 \times 5.6 \times \cos 20.4$ A1 for 4.01[17...] or 4.012
(a)(ii)	4.1[0] or 4.11 or 4.100 to 4.107 cao	2	M1 for $\tan 64 = \frac{AX}{\text{their (a)(i)}}$ or for $\frac{AX}{\sin 64} = \frac{\text{their (a)(i)}}{\sin(90 - 64)}$ oe
(a)(iii)	6.96	2	M1 for $\frac{1}{2} \times 4.8 \times 2.9$ oe
(b)	11.3 or 11.31..	5	M4 for $2 \times \frac{8}{\sin(45)} \times \sin 30$ or B4 for $PM = 5.65[685...]$ or 5.66 or better OR B1 for $\text{angle } RPM = 45^\circ$ M2 for $\frac{8}{\sin(\text{their } 45)} \times \sin 30$ or M1 for implicit form


Question 74

246

3 **B2** for $BCS(\text{outh}) = 66$
 or $BCA = 48$ and $ACN(\text{orth}) = 66$
 or $BCW(\text{est}) = 24$
 or $ACS(\text{outh}) = 114$
 or
B1 for $ABC = 66$
 or $BAC = 66$ or $BCA = 48$
 or $ACN(\text{orth}) = 66$

Question 75

(a)	13.9 or 13.85 to 13.86	<p>4 M3 for $2x^2 = 28^2 - 20^2$ or better or $x = (\sqrt{28^2 - 20^2}) \sin 45$ oe or M2 for $x^2 + x^2 + 20^2 = 28^2$ oe or $\sin 45 = \frac{x}{\sqrt{28^2 - 20^2}}$</p> <p>or M1 for any correct Pythag in 2D or <i>their</i> $AC \times \sin 45$ oe dep on trig/Pythagoras attempt for AC</p>
(b)	51.9 or 51.87 to 51.88	<p>4 M3 for $\sin = \frac{29 \text{ to } 30}{37 + 0.5}$ or $\frac{30 - 0.5}{37 \text{ to } 38}$ oe or M2 for correct trig statement for correct angle with values in range 29 to 31 and 36 to 38</p> <p>or M1 for $30 + 0.5$ or $30 - 0.5$ or $37 + 0.5$ or $37 - 0.5$ seen or for identifying correct angle RKM</p>



Question 76

(a)	Angle $CAB = 52$	B1	
	$180 - 52 - \sin^{-1}\left(\frac{60 \sin their 52}{87}\right)$	M3	M2 for $[\sin[...]=] \frac{60 \sin their 52}{87}$ oe or M1 for $\frac{60}{\sin B} = \frac{87}{\sin their 52}$ oe
	95.08...	A1	
(b)	77.1 or 77.08 to 77.11	6	B4 for dist travelled = 256.9 to 257[.0...] or B3 for $[AB =] 109.9$ to 110[.0...] or M3 for $60 + 87 +$ $\sqrt{60^2 + 87^2 - 2 \times 60 \times 87 \times \cos 95.1}$ oe or M2 for $\sqrt{60^2 + 87^2 - 2 \times 60 \times 87 \times \cos 95.1}$ oe or $AB^2 = 12093. \dots$ to 12097. ... or $\frac{87 \sin 95.1}{\sin their 52}$ oe or M1 for $AB^2 = 60^2 + 87^2 - 2 \times 60 \times 87 \times \cos 95.1$ oe or $\frac{\sin 95.1}{AB} = \frac{\sin their 52}{87}$ oe M1 for <i>their</i> total distance $\div 3 \frac{20}{60}$ oe

Question 77

(a)(i)	$\frac{(x+3)(2x+5)}{2} = 60$	M1	Accept $(x+3)(2x+5) = 2 \times 60$ or 120 Accept e.g. $(x+3)(x+2.5) = 60$ without division by 2 shown for M1 (but not A1)
	$2x^2 + 6x + 5x + 15$ seen	B1	Accept $2x^2 + 11x + 15$ seen
	$2x^2 + 11x - 105 = 0$	A1	Correct completion after M1B1 with the fraction seen removed with no errors or omissions seen
(a)(ii)	$(2x+21)(x-5) [= 0]$	M2	M1 for partial factors $2x(x-5) + 21(x-5) [= 0]$ or $x(2x+21) - 5(2x+21) [= 0]$ OR $(2x+a)(x+b) [= 0]$ where $ab = -105$ or $2b+a = 11$
	-10.5 and 5	B1	
(a)(iii)	61.9 or 61.92 to 61.93	3	M2 for $\tan = \frac{2 \times \text{their } 5 + 5}{\text{their } 5 + 3}$ oe or B1FT for $2 \times \text{their } 5 + 5$ and $\text{their } 5 + 3$
3(b)(i)	28.1 or 28.07 to 28.08	1	FT $\text{their } 90 - \text{their (a)(iii)}$ unless $\text{their (a)(iii)} < 45$, in which case FT their (a)(iii)
3(b)(ii)	10	3	M2 for $(\text{their } 5 + 3) \times \sqrt{\frac{93.75}{60}}$ oe or M1 for $\sqrt{\frac{93.75}{60}}$ or $\sqrt{\frac{60}{93.75}}$ oe seen or $\left(\frac{\text{their } 5 + 3}{x}\right)^2 = \frac{60}{93.75}$ oe

Question 78

(a)(i)	96	2	M1 for $\frac{1}{2} \times 24 \times 8$
(a)(ii)	18.4 or 18.43...	2	M1 for $\tan[x] = \frac{8}{24}$ oe

Question 79

(a)	$[\sin =] \frac{145}{\frac{1}{2} \times 6.4 \times 5.7 \times 15}$	M2	M1 for $145 = \frac{1}{2} \times 6.4 \times 5.7 \times \sin x \times 15$ oe or for $\frac{1}{2} \times 6.4 \times h \times 15 = 145$ and $\sin x = \frac{h}{5.7}$
	32.0[0]	A1	If M0 , SC1 for $145 = 0.5 \times 6.4 \times 5.7 \times \sin 32 \times 15$ oe
(b)	3.4[0] or 3.402 to 3.403 nfw	3	M2 for $\sqrt{6.4^2 + 5.7^2 - 2 \times 6.4 \times 5.7 \times \cos(32)}$ OR M1 for $6.4^2 + 5.7^2 - 2 \times 6.4 \times 5.7 \times \cos(32)$ A1 for 11.6 or 11.57 to 11.58
(c)	3.02 or 3.020 to 3.021	3	M2 for $\sin(32) = \frac{x}{5.7}$ $\sqrt{80^2 + 50^2 - 2 \times 80 \times 50 \times \cos 75}$ or M1 for recognition that the line from <i>E</i> is perpendicular to <i>AB</i> e.g. right angle seen or $\frac{1}{2} \times 6.4 \times h$
(d)	10.8 or 10.9 or 10.84 to 10.85...	4	M3 for $[\sin =] \frac{\text{their (c)}}{\sqrt{15^2 + 5.7^2}}$ or $[\tan =] \frac{\text{their (c)}}{\sqrt{(5.7 \times \cos 32)^2 + 15^2}}$ or M2 for $15^2 + 5.7^2$ or $(5.7 \times \cos 32)^2 + 15^2$ oe or M1 for recognition of correct angle
(e)	136 or 136.0...	3	M2 for $938 \times 145 \times \frac{1000}{1000000}$ oe or M1 for figs 136 or 13601